

000-286 exam questions updated on regular basis

Same type as the certification exams, 000-286 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-286 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-286

Title : Test286,application development wwebsphere studio,v5.0

1. When creating a Web Project in WebSphere Studio, the initial set of files will be created in either:

- A. The repository
- B. The deployment directory of the application server
- C. A WebSphere Studio determined directory
- D. A developer specified directory
- E. The root directory as specified by the J2EE(TM) spec

Answer: CD

2. A developer is given a J2EE EAR file that contains source and wants to develop and test the application. Which of the following tasks MUST be performed to import this J2EE application into WebSphere Studio?

- A. Use the EAR Import utility to create the Enterprise Application Project and contained module project(s) directly from the EAR file.
- B. Use the Create Enterprise Application Project Wizard to create the J2EE projects within WebSphere Studio and import those modules from the EAR file.
- C. Use the Create Web Project Wizard to create a Web project within WebSphere Studio and then use the EAR import utility to populate the Web project.
- D. Use the WAR import utility to create a Web project and the containing Enterprise Application Project and populate each from the EAR file.

Answer: A

3. A consultant working on projects from different clients needs to be able to completely separate each client's projects. What is the BEST way to accomplish this using WebSphere Studio?

- A. Name the projects with a scheme that distinguishes them from each other.
- B. Load multiple projects at the same time into the workspace and configure each with a unique name.
- C. Have a separate workspace for each client's projects in the file system.
- D. Use options under the File menu to load the desired project.

Answer: C

4. The search function of a class in the Outline view can be used to locate:

- A. Types in Workspace using search expressions.
- B. Declarations in Workspace regardless of package.
- C. References in Workspace regardless of package.
- D. References to errors in selected resource.

Answer: BC

5. To add a newly created project to the team's version control management system, a developer must:

- A. Export the Local History to the remote repository.
- B. Right-click on the project and select Team -> Share Project.
- C. Select the appropriate version control management system in the project's properties.
- D. Select Add to Version Control in the Project menu.

Answer: B

6. Which accurately describes the steps for adding the import statement for ClassZ? ClassZ is in a different package.

```
package packageA; public class ClassX { ClassZ classZ = new ClassZ(); }
```

- A. Right-click anywhere in the source and choose Source-->Add Import.
- B. Select "ClassZ", right-click, and choose Source-->Add Import.
- C. Select the filename in Package Explorer, right-click, and choose Source-->Add Import.
- D. Select the entire line that references ClassZ, right-click, and choose Source-->Add Import.

Answer: B

7. Which of the following are TRUE about the Compare and Replace functions in regard to the local history?

- A. They both list the dates and times that the files were last saved.
- B. They can operate on different filenames.
- C. They can operate on more than two files.
- D. They only operate on files in the workspace.
- E. They can operate on files at a remote location.

Answer: AD

8. Why would a developer use the Extract Method wizard?

- A. To remove a method from one class and place it in another, to better distribute responsibilities
- B. To remove a method and all of the references to it, since it is no longer needed
- C. To move a selected part of a method to a new method and replace the original code with a call to that new method
- D. To retrieve a method from a JAR file

Answer: C

9. ClassA in Example A below is opened in the Hierarchy view. Show Type Hierarchy and Show All Inherited Members are both turned on.

Example A:

```
package myPackage;
public class ClassA implements InterfaceX{
public static void main(String[] args){
}
protected class ClassC {
public int returnTwo(long x){
return 2;
}
}
private static int returnOne(long x){
return 1;
}
}
```

Example B:

```
package myPackage;
public interface InterfaceX {
public static final String x = "yo";
}
}
```

Which of the following references to elements of the source files MAY be displayed along with ClassA?

- A. returnOne(long)
- B. returnTwo(long)
- C. x
- D. InterfaceX
- E. ClassC

Answer: AC

10. How does a developer manage the build path of a Java Project?

- A. The build path is set from the context menu of a project in the J2EE Navigator view

- B. The build path is set in the Build Path page on the properties dialog of a project
- C. The build path is determined by the source folders set up within a project and through the import statements in the code
- D. The build path is set only when the project is created or when new packages are added to it

Answer: B

11. When creating a new Java Project using the wizard, what is the principal function of the "Projects" tab?

- A. To name the project and specify its source folders
- B. To add existing projects to the new project's Java Build Path
- C. To include additional Jar files if the new project requires additional libraries
- D. To view and import projects located in a team repository

Answer: B

12. While creating a new Java Project, there is a large external JAR file that this project and other projects are going to need to add to their build paths. The BEST way to make this JAR file available to all projects would be to:

- A. Add the external JAR file to each of the projects.
- B. Create a classpath variable that refers to the external JAR and add it to each project's build path.
- C. Import the external JAR file into this project and then add this project to all the other projects' build path.
- D. Import the external JAR into one of other projects and add that project to the build path while creating this project.
- E. Import the external JAR file into each of the projects.

Answer: B

13. The "Errors and Warnings" section of the Java-->Compiler preferences page allows a developer to select the severity level of the following problems:

- A. Unreachable code
- B. Non terminated strings
- C. Unresolvable import statements
- D. Non initialized instance variables
- E. Unused imports

Answer: ACE

14. To change a JUnit test and re-run it without having to re-run the entire suite, the following need to be done:

- A. Run in debug mode
- B. Enable checkbox on Launch Configuration page to keep JUnit running after a test
- C. Configure the test to run on the server
- D. Select option on Debug Preference page to keep JUnit running after a test

Answer: AB

15. How is the priority of a Task set?

- A. Double-click a Task to launch the Tasks Property dialog and choose the priority from the "Priority" dropdown list.
- B. Right-click a Task and select Properties to launch the Tasks Property dialog and choose the priority from the "Priority" dropdown list.
- C. Right-click a Task and select Set Priority and then High, Normal, or Low.
- D. Click the "!" column of a Task and select High, Normal, or Low from the dropdown list.

Answer: D

16. A developer wishes to customize the Web Perspective to add the toolbar button for launching Java applications. Which of the following tasks MUST the developer perform to add this button to the toolbar?

- A. Open a perspective which has this button in the toolbar in a new window, and drag it into the Web Perspective's toolbar.
- B. Select Window -> Customize Perspective and select Launch from the list of Action Sets.
- C. Right-click on the Web Perspective's toolbar and select the Launch option from the context menu.
- D. Select Window -> Preferences and select the "Show launch buttons in other perspectives" checkbox from the Java

section.

Answer: B

17. A developer needs to create a set of complex SQL statements. Which of the following tools would BEST serve this purpose?

- A. SQL scripiter
- B. SQL editor
- C. SQL query builder
- D. SQL structure builder

Answer: C

18. While writing JDBC code in a Java Project, a developer needs to see the schema (metadata) for a database. What is the minimum set of tasks which MUST be accomplished in WebSphere Studio to meet this need?

- A. Start the data connector agent.
- B. Create a data object filter
- C. Create a connection to the database.
- D. Open up tables of interest in DB Servers view.
- E. Import the schema to Java Project folder.

Answer: CD

19. The Java Editor code assist facility does the following by default:

- A. Automatically inserts single proposals
- B. Shows only proposals visible in the invocation context
- C. Hides Javadoc information associated with proposal selected in list
- D. Fills argument name on method completion
- E. Automatically adds qualified name instead of import statement

Answer: AB

20. Which of the following may be displayed in the Outline view in the Java perspective?

- A. Packages
- B. Private methods
- C. Errors
- D. Field members declared within a class
- E. Variables declared within methods

Answer: ABD

[More 000-286 Information](#)

Related 000-286 Exams

[000-974](#) *Power Systems Technical Support for i*

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-990](#) *Test 990, IBM WebSphere Bus Modeler Adv V6.0, Bus Anl+Design*

[000-417](#) *IBM WebSphere Information Analyzer v8.0*

[000-669](#) *SOA Fundamentals (2008)*

[000-316](#) *IBM WebSphere Integration Developer V6.1*

[000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

[000-913](#) *informix 4gl development*

[000-936](#) *IBM Tivoli Access Manager for e-business V6.1 Implementation*

000-431 *IBM Tivoli Storage Manager V5.5 Administration*

000-084 *Modular Systems High Performance Servers*

000-994 *Test994,IBM Web Sphere MQ V6.0,System Administration*

000-111 *IBMDistributed Systems Storage Solutions Version 7*

000-908 *Tivoli Monitoring V6.2 Implementation*

000-017 *Foundations of Tivoli process automation engine V7.1*

000-113 *IBM Storage Solution Design Entry/Midrange DS Series V1*

000-207 *High End Taps Solutions Version 5*

000-011 *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

Other IBM Exams

000-R01

000-890

000-135

000-442

000-397

000-743

000-237

LOT-987

LOT-805

000-077

000-705

COG-132

000-935

000-701

LOT-721

COG-400

000-001

000-734

000-936

000-R18