

Same type as the certification exams, 000-647 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-647 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-647

Title : Rational Performance Tester

1. What is one way to modify or enhance a test programmatically?

- A. add Java custom code classes to a test as well as directly to the test code (*.java)
- B. add Java custom code classes to a test, but not directly to the test code (*.java)
- C. directly modify the test code (*.java) by adding custom code classes to the appropriate files
- D. modify the default test superclass with custom code

Answer: B

2. You have an RPT test that does not indicate the correct number of pages in the actual web-based application. An application goes through eight distinct pages but the RPT recorded test only shows six pages.

How can you correct this?

- A. change the Performance Test Generation - Protocol preferences and re-generate the test from the recorded session (.recmodel file)
- B. change the HTTP Recorder Options and re-record the test
- C. manually add the missing pages or remove the extra/redundant pages from the test editor
- D. re-record the test and, while recording, click on New Page?from the Recorder Control tab where the pages were skipped

Answer: A

3. What documents all artifacts that define the system, users, and tasks associated with the target workload for the performance testing effort?

- A. datapool document
- B. product manual
- C. test schedule guide
- D. workload analysis document

Answer: D

4. During test execution, the datapool framework is used to vary _____.

- A. user names and passwords
- B. data in a transaction flow
- C. the contents in responses
- D. request header variables

Answer: B

5. What is the fastest way to debug a test by validating data returned from a server?

- A. run the test and then, in the Execution History, view the page in the Protocol Data ?Browser tab and manually verify the displayed value
- B. enable a content verification point (VP) for the value on the page where it is displayed
- C. create a reference from the returned value and then validate the reference against a datapool using a condition test element
- D. create a reference from the returned value and then validate the reference against a datapool using an if-then? statement in custom code

Answer: B

6. What must you do if you want to record tests on a web browser other than Microsoft Internet Explorer?
- A. download and install the RPT IE plug-in for the supported web browser from developerWorks
 - B. select Enable Environments for Testing?from the Configure menu and add the web browser as described in the product documentation
 - C. manually configure the browser to communicate to the server(s) via a SOCKS proxy as described in the product documentation
 - D. manually configure the web browser to use the Microsoft JVM as described in the product documentation

Answer: C

7. What must you do if you want to reuse RPT tests on a server other than the one on which they were recorded?
- A. use the Test Search feature to find and replace the server host name(s) in each RPT test
 - B. select each page for each RPT test in the test editor and change the Target host to the new server host name
 - C. create a new location and deployment for the new server host name(s) and add the RPT tests as artifacts for the deployment
 - D. re-record the tests in the new environment because it is not possible to reuse a recorded test on different servers

Answer: A

8. What must you do to change the connection security in an existing test from SSL to non-secure (assuming the servers are reconfigured for this)?
- A. use the Test Search feature to find and replace each connection string from http?to https?
 - B. create a new location for each server using an SSL connection and deselect the Enable SSL checkbox in the server details window
 - C. go to a performance test schedule and deselect the Enable SSL checkbox in the Schedule Element Details connection settings
 - D. go to the test editor and deselect the Enable SSL checkbox in the Connection Details Authentication and Security pane

Answer: D

9. Which type of performance test determines the conditions under which a system fails and how it fails?
- A. load
 - B. longevity and endurance
 - C. stress
 - D. volume

Answer: C

10. How can you create a copy of an RPT test?
- A. right-click the test; select Copy from the menu; enter a new name for the copied test
 - B. select the test; from the File menu, click ? Save As?; enter a new name for the copied test
 - C. switch to the Navigator view; select the source Java file (*.rec) of the test; from the File menu, click ? Save As? enter a new name for the copied test
 - D. from the Navigator view, right-click the .recmodel file; select Generate Test; choose Performance Test Generator; enter a new name for the copied test

Answer: D

[More 000-647 Information](#)

Related 000-647 Exams

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-253](#) *Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn*

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

000-351 *ib m eserver i5 iseries single system adminsitration v5r3*

000-647 *Rational Performance Tester*

000-833 *Object Oriented Analysis and Design-Part1(Analysis)*

000-443 *db2 content manager v8.3*

000-807 *Test 807, Web Services Dev for IBM Web Sphere App Server V6.1*

000-806 *IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

000-631 *rational-clearcase for unix*

000-918 *System Administration for IBM Informix Dynamic Server V11*

000-284 *Test 284, IBM Wbs. DataPower SOA Appliances, Fimware v3.6.0*

000-649 *Rarional Software Architect*

000-798 *ib m tivoli monitoring for transaction perf v5.2 implement*

000-971 *System i Administrator V5.07.11*

000-637 *rational-requirements management with use cases-part2*

000-664 *Test664.SOA Fundamentals*

000-484 *enterprise connectivity with j2ee v1.3*

000-635 *rational-fundamentals of rational rose*

Other IBM Exams

000-787 000-R18 000-229 000-712 000-P02 000-908 000-435 000-770

000-060 000-892 LOT-836 000-074 000-897 000-293 000-138 000-351

000-924 000-926 000-856 000-631