

000-857 IBM certifications I

IBM iseries windows integration technical solutions v5r3

Practice Exam: 000-857 Exams

Exam Number/Code: 000-857

Exam Name: iseries windows integration technical solutions v5r3

Questions and Answers: 76 Q&As

([IBM certifications I](#))



Exam : [000-857](#)

"iseries windows integration technical solutions v5r3", also known as 000-857 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 76 Q&As to your 000-857 Exam preparation. In the 000-857 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-857 Exam TestInside Practice Exams for IBM **IBM certifications I** Certification 000-857 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-857 Exam.

000-857 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications I product experts, included the current newest 000-857 examination questions.

3. 100% Guarantee to Pass Your IBM certifications I exam and get your IBM certifications I Certification.

If you do not pass the IBM Certification 000-857 exam (iseries windows integration technical solutions v5r3) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 000-857 Q&A ensure you pass the exam at your first try.

TestInside professional provide IBM certifications I 000-857 the newest Q&A, completely covers 000-857 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-857 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-857](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 000-857 exam

000-857 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-857 exam questions updated on regular basis

Same type as the certification exams, 000-857 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-857 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-857

Title : Iseries Windows Integration Technical Solutions v5r3

1. A customer has found an Intel Linux application that they would like to implement. How can this application be integrated with their iSeries and IXA environment?

- A. Use the INSLNXSVR command to install Linux on their IXA and xSeries server.
- B. Create an iSeries guest partition and *GUEST NWSD for a Linux installation on the iSeries.
- C. Install Windows 2000 and the VMware GSX version to support a Linux partition under the Windows 2000 host operating system.
- D. Install Windows 2000 and install the LINE (Linux Emulator) application to allow Linux programs to run within their Windows 2000 server.

Answer: A

2. A customer with an i820 wants to replace an existing Migration Tower with a FC #5094 tower and is adding an IXA to the configuration. The customer has specified the IXA will be powered on/off during the week due to processing requirements. What HSL cables will be needed to accomplish this configuration?

- A. 1 HSL cable and 2 HSL-2 to HSL cables
- B. 1 HSL cable, 1 HSL-2 cable, and 1 HSL-2 to HSL cable
- C. 3 HSL cables
- D. 3 HSL-2 cables

Answer: A

3. Domain user enrollment using iSeries Navigator is failing but had been working previously. Which of the following is the most likely cause of the problem?

- A. The QVNAVARY job on the iSeries is not active.
- B. The NetServer guest user profile has been disabled.
- C. The User Administration service on Windows is not active.
- D. The QAS400NT user profile is not enrolled to the local server.

Answer: C

4. A customer with an i810 server has an IXS installed. The Windows administrator needs to be notified of errors. Which of the following can provide this functionality?

- A. Create an iSeries NetServer file share against the Windows event logs.
- B. Write an program to monitor the errors in the /QIBM/ProdData/NTAP/logs directory.
- C. Set up an iSeries Navigator Management Central monitor for the Windows event logs.
- D. Configure the Windows event log to be mirrored to an iSeries message queue and monitor this queue.

Answer: D

5. An iSeries administrator has set up user enrollment of the iSeries users into the Windows domain. The users are not being enrolled in the Windows domain. Which of the following is the most likely cause of the problem?

- A. The QAS400NT user profile is not enrolled in the system directory.
- B. The QAS400NT user profile does not have *SECADM special authority.
- C. The QAS400NT account is not a member of the Windows Domain Admin group.
- D. The QAS400NT account is not a member of the AS400_Permanent_Users group.

Answer: C

6. An iSeries customer with IXS cards installed in systems at three remote locations has just completed installation of the current Cumulative fix package. A Windows integration code Service Pack is included in this package. Which of the following methods will allow the administrator to install the Windows integration code Service Pack on the remote IXS servers in the least amount of time?

A. On each system use

'GO PTF option 8'

to apply the appropriate PTFs to product 5722WSV

B. Contact each site and have the local administrator run

'Start/Programs/IBM iSeries/Integration

for Windows servers'

C. Use the Management Central task scheduler to submit a remote command

'D:AS400NTMASTERSETUP.EXE'

to each of the IXS servers

D. Using iSeries Navigator open

'Network/Windows Administration/Integrated xSeries Servers'

and select

'Server Integration Software/Install Latest Service Pack'

for each of the systems with IXS installed

Answer: D

7. A web server needs to be created in a Microsoft cluster and should have all web content stored on a storage space for the clustered web server. Which of the following describes how the storage spaces should be configured?

A. Each server node will utilize a shared storage space for the quorum resource and a shared storage space for web server content.

B. Each server node needs to have a dedicated quorum resource disk but will utilize a shared storage space for web server content.

C. Each server node needs to have a dedicated quorum resource disk and a dedicated web server disk.

D. Each server node will utilize a shared storage space for web server content, but only the cluster master will have the quorum disk linked.

Answer: A

8. An i825 upgrade to add a 2892-002 (2.0 GHz) IXS with two FC #5701 (1Gb LAN) adapters is being planned. How many PCI slots are required for the IXS and LAN adapters?

A. 2

B. 3

C. 4

D. 5

Answer: C

9. An IXA-attached xSeries with two LAN cards is configured on two different networks. Client workstations from one network lose connection to the xSeries, and the network administrator suspects the xSeries hardware. How can it be determined whether the xSeries hardware is functioning properly?

A. Check the light path diagnostic LED's on the xSeries server.

B. Use the iSeries work problem menus to run diagnostics over the hardware path.

C. Look in the QVNAVARY job log for error messages relating to the *NWSD hardware.

D. Use Hardware Service Manager in Service Tools to determine if the xSeries Ethernet adapter is operational.

Answer: A

10. A customer has an i810 with one attached I/O tower. They want to add an IXA-attached x236 server to their existing HSL/SPCN configuration. In addition to the IXA card, what hardware will they need to order?

A. 1 HSL cable and 1 SPCN cable

B. 1 HSL cable, 1 SPCN cable, and an RSA card

C. 2 HSL cables and 2 SPCN cables

D. 2 HSL cables, 2 SPCN cables, and an RSA card

Answer: B

11. A customer with a new i825 and an xSeries 445 with an IXA wants to start loading the Microsoft Windows Server 2003 operating system. Which of the following LPPs are required to be installed on the iSeries to do this?

- A. 5722-TC1 *BASE TCP/IP Connectivity Utilities
- B. 5722-AC3 Cryptographic Access Provider
- C. 5722-XE1 iSeries Access for Windows
- D. 5722-DG1 HTTP Server for iSeries

Answer: A

12. A customer has a CD with Windows 2000 Service Pack 3 and wants to load it onto their IXS servers. When using Windows Explorer, the CD drive is not shown. Which of the following is the most likely cause of the problem?

- A. The iSeries optical drive is on a shared bus.
- B. The virtual point-to-point interface is not active.
- C. The Windows Computer Browser service is not started.
- D. The iSeries optical drive was not locked using the Windows Integration snap-in.

Answer: D

13. A customer wants to connect an existing xSeries server to a model i830 server with an IXA adapter. The xSeries server is installed in a rack 60 feet from the i830 server. What is required to configure the xSeries on its own HSL loop?

- A. Order two 25 meter copper HSL cables.
- B. Order two 30 meter optical RIO-G cables.
- C. Order two 15 meter copper HSL2 cables and move the xSeries server closer to the i830 server.
- D. Order two 15 meter copper HSL cables and move the xSeries server closer to the i830 server.

Answer: D

14. A customer is migrating an existing Microsoft Windows 2000 server to an IXS. The existing system has a single 60GB hard drive that is 50% used for user data. When the IXS is installed, the customer would like to allow for 120GB of disk user data. How much iSeries disk space will be required for this drive in the IXS installation?

- A. 30GB
- B. 60GB
- C. 90GB
- D. 120GB

Answer: D

15. A customer used the INSWNTSVR command with the Terminal Services parameter *TSENABLE to allow for off-site monitoring of their server. Four months later the customer can no longer make a Terminal Services connection. What action should be taken to restore the Terminal Services connection?

- A. End and restart Terminal Services on the server.
- B. Reinstall the Terminal Services client on the PC.
- C. Shut down and restart the Integrated Windows Server.
- D. Change the Terminal Services mode to Remote Administration mode.

Answer: D

[More 000-857 Information](#)

Related 000-857 Exams

[000-974](#) *Power Systems Technical Support for i*

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

000-015 IBM Maximo Asset Management V7.1 Implementation

000-990 Test 990, IBM Web Sphere Bus Modeler Adv V6.0, Bus Anl+Design

000-417 IBM Web Sphere Information Analyzer v8.0

000-669 SOA Fundamentals (2008)

000-316 IBM Web Sphere Integration Developer V6.1

000-667 IBM Test 667, Architectural Design of SOA Solutions

000-913 informix 4gl development

000-936 IBM Tivoli Access Manager for e-business V6.1 Implementation

000-431 IBM Tivoli Storage Manager V5.5 Administration

000-084 Modular Systems High Performance Servers

000-994 Test994, IBM Web Sphere MQ V6.0, System Administration

000-111 IBM Distributed Systems Storage Solutions Version 7

000-908 Tivoli Monitoring V6.2 Implementation

000-017 Foundations of Tivoli process automation engine V7.1

000-113 IBM Storage Solution Design Entry/Midrange DS Series V1

000-207 High End Taps Solutions Version 5

000-011 IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

Other IBM Exams

<u>000-863</u>	<u>000-514</u>	<u>000-444</u>	<u>000-447</u>	<u>000-R18</u>	<u>000-375</u>	<u>000-798</u>	<u>000-289</u>
<u>000-779</u>	<u>000-962</u>	<u>000-992</u>	<u>000-918</u>	<u>000-705</u>	<u>000-268</u>	<u>000-914</u>	<u>000-817</u>
<u>000-x01</u>	<u>000-486</u>	<u>000-439</u>	<u>000-141</u>				