

1z0-131 9i Internet Application Developer

Oracle 9i Internet Application Developer Oracle9i, Build Internet Applications I

Practice Exam: 1z0-131 Exams

Exam Number/Code: 1z0-131

Exam Name: 9i Internet Application Developer Oracle9i, Build Internet Applications I

Questions and Answers: 120 Q&As

([9i Internet Application Developer](#))



"9i Internet Application Developer Oracle9i, Build Internet Applications I", also known as 1z0-131 exam, is a Oracle certification. With the complete collection of questions and answers, TestInside has assembled to take you through 120 Q&As to your 1z0-131 Exam preparation. In the 1z0-131 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

Exam : [1z0-131](#)

Quality and Value for the 1z0-131 Exam TestInside Practice Exams for Oracle **9i Internet Application Developer** Certification 1z0-131 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-131 Exam.

1z0-131 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the 9i Internet Application Developer product experts, included the current newest 1z0-131 examination questions.

3. 100% Guarantee to Pass Your 9i Internet Application Developer exam and get your 9i Internet Application Developer Certification.

If you do not pass the Oracle Certification 1z0-131 exam (9i Internet Application Developer Oracle9i, Build Internet Applications I) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 1z0-131 Q&A ensure you pass the exam at your first try.

TestInside professional provide 9i Internet Application Developer 1z0-131 the newest Q&A, completely covers 1z0-131 test original topic. With our complete 9i Internet Application Developer resources, you will minimize your 9i Internet Application Developer cost and be ready to pass your 1z0-131 tests on Your First Try, 100% Money Back Guarantee included!

[Oracle 1z0-131](#) Test belongs to one of the 9i Internet Application Developer certified test, if needs to obtain the 9i Internet Application Developer certificate, you also need to participate in other related test, the details you may visit the [9i Internet Application Developer](#) certified topic, in there, you will see all related 9i Internet Application Developer certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 1z0-131 exam

1z0-131 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-131 exam questions updated on regular basis

Same type as the certification exams, 1z0-131 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-131 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Oracle 1Z0-131

Title : Build Internet Applications i

1. You are creating summary items that summarize the same item in a data block by performing different functions, such as Sum, Avg, Max, and Min. Design rules require you to place summary items in a control block. Which properties should be set in the control and data blocks to enable your task?

- A. The Single Record property must be set to Yes for the control block, and the Query All Records property must be set to Yes for the data block.
- B. The Number of Records Displayed property must be set to Yes for the control block, and the Number of Records Buffered property must be set to All for the data block.
- C. The Query All Records property must be set to Yes for the data block, and the Precompile Summaries property must be set to Yes for the control block.
- D. The Query All Records property must be set to Yes for the control block, and the Precompile Summaries property must be set to Yes for the data block.

Answer: A

2. Which built-in allows you to dynamically change the alert message text?

- A. SET_ALERT_MESSAGE
- B. SET_ALERT_PROPERTY
- C. CHANGE_ALERT_PROPERTY
- D. CHANGE_MESSAGE_ALERT

Answer: B

3. You are creating the ORDERS form that contains a text item called Date_Ordered. How could you ensure that when a new record is entered, the Date_Ordered item displays the current date in DD-MON-YYYY format?

- A. In the Date_Ordered Item Property Palette, set the Initial Value property to \$\$date\$.
- B. In the Date_Ordered Item Property Palette, set the Default Value property to SYSDATE.
- C. You must use a Pre-Insert trigger to accomplish this task.
- D. You must use a Pre-Commit trigger to accomplish this task.

Answer: A

4. Which two operations create a text item? (Choose two.)

- A. use the Create icon in the Layout Editor
- B. convert an existing item into a text item by setting its Item Type property
- C. use the text item tool in the Object Navigator
- D. use the text item tool in the Layout Editor
- E. select Field-->New-->Text Item from the menu

Answer: BD

5. The EMPLOYEE form contains the CV_SALARY, CV_EMP, and CV_HELP content canvases. Each canvas is displayed in its own window. How could you toggle between the CV_SALARY and CV_EMP canvases without closing the CV_HELP canvas?

- A. Create the CV_HELP canvas in a modal window.
- B. Create the CV_SALARY and CV_EMP canvases in modal windows.
- C. Create all three canvases in modeless windows.
- D. A canvas must be dismissed before another canvas can become active.

Answer: C

6. You have created a form that has a block to create an address and perform a mail merge with a selected Word document. You would like to use this block in other forms. How could you package this block and its canvas for reuse?

- A. Smart Class
- B. Object Group
- C. Record Group
- D. Property Class
- E. PL/SQL Library

Answer: B

7. You created the EMP_DATA data block in the EMPLOYEE form based on all the columns of the EMP table. After viewing the prototype, users are asking that you remove the SALARY column from the layout. This column is used in the data block to perform bonus calculations.

How would you remove this column from the layout while leaving it in the data block?

- A. You must delete the EMP_DATA data block and recreate it.
- B. Select the Salary item in the Layout Editor and press DELETE.
- C. You must remove the column from the data block to remove it from the layout.
- D. Select the frame surrounding the EMP_DATA data block in the Layout Editor, click the Layout Wizard tool, and remove the SALARY column from the Displayed Items list.
- E. Select the EMP_DATA data block in the Object Navigator, choose Tools->Data Block Wizard, and remove the SALARY column from the included list. The SALARY column will automatically be removed from the layout.
- F. Double-click the EMP_DATA data block in the Object Navigator to launch the Data Block Wizard, remove the SALARY column from the included columns, enter the Layout Wizard, and remove the SALARY column from the Displayed Items list.

Answer: D

8. Which built-in subprogram can be used to create global variables?

- A. NAME_IN
- B. COPY
- C. DEFAULT_VALUE
- D. LIST_VALUES

Answer: C

9. Which built-in subprogram can you use to navigate to the instance of the current item in the previous record?

- A. PREVIOUS_RECORD
- B. UP
- C. SCROLL_UP
- D. PREVIOUS_BLOCK

Answer: B

10. You have written some generic PL/SQL code which loops through the invoked form, getting and setting the global variables in the form. Which two built-ins would you use in this code to get and set these variables and their values? (Choose two.)

- A. COPY

- B. NAME_IN
- C. GET_ITEM_PROPERTY
- D. GET_BLOCK_PROPERTY
- E. GET_PARAMETER_LIST
- F. GET_APPLICATION_PROPERTY

Answer: AB

11. You can use a When-List-Activated trigger to trap a user selection. For which list item style can you do this?

- A. T-list
- B. pop-list
- C. combo box
- D. any style

Answer: A

12. In Form Builder you attempt to compile a trigger. You receive a compilation error that gives no clear indication of the problem. What are two likely causes? (Choose two.)

- A. dividing by zero
- B. missing semicolon
- C. mismatched quotes
- D. mistyped variable name
- E. trigger defined on wrong item
- F. trigger defined at wrong level

Answer: BC

13. Which property type can be created by overriding a property set by a property class?

- A. Block
- B. Variant
- C. Item
- D. Inherited

Answer: B

14. Which two data block properties can be set to abort a long running query? (Choose two.)

- A. Number of Records Buffered
- B. Numbers of Records Displayed
- C. Query Array Size
- D. Maximum Query Time
- E. Query All Records
- F. Maximum Records Fetched

Answer: DF

15. Which two item properties' settings affect the standard checks performed during item validation? (Choose two.)

- A. Font Name
- B. Format Mask
- C. Conceal Data
- D. Case Restriction
- E. Lowest Allowed Value
- F. Number of Items Displayed

Answer: BE

16. How could you associate a data block with more than one frame?

- A. Use the Layout Wizard in reentrant mode to associate the data block with an additional frame.
- B. Alter the Frame value in the Property Palette for the data block.
- C. Use the Data Block Wizard in reentrant mode to associate the data block with an additional frame.

D. A data block can be associated with only one frame.

Answer: D

17. You are customizing default functionality of an image item so that the image displays when a user single-clicks the item. Which trigger would you use to accomplish the task?

- A. When-New-Item-Instance
- B. When-Image-Activated
- C. When-Image-Pressed
- D. When-Validate-Item

Answer: C

18. You created a form that has two data blocks. Which two default navigation methods can a user employ to move the cursor from the first block to the second block? (Choose two.)

- A. Press the [NEXT BLOCK] function key.
- B. Click an item in the second block with the mouse.
- C. Click the single right-arrow icon on the menu toolbar.
- D. Right-click an item in the first block, and choose Next Block from the pop-up menu.

Answer: AB

19. You want to capture the username and password of the current user. Which built-in subprogram can you use?

- A. GET_APPLICATION_PROPERTY
- B. GET_RELATION_PROPERTY
- C. GET_VIEW_PROPERTY
- D. GET_FORM_PROPERTY

Answer: A

20. Click the Exhibit button.

All items have been created with default properties. There is a Pre-Text-Item trigger on Item B with the following code:

```
if :blockname.item_b > '10' then  
  raise form_trigger_failure;  
end if;
```

The cursor is in Item A. You press [Tab]. Which statement is true?

- A. Input focus will change to Item C.
- B. External navigation will not occur.
- C. Internal navigation will not occur.
- D. The form will exit due to a fatal error.
- E. A message indicating navigation failure will automatically be displayed.

Answer: B

[More 1z0-131 Information](#)

Related 1z0-131 Exams

[1z0-147](#) oracle9i program with pl/sql

[1z0-001](#) 9i Internet Application Developer Introduction to Oracle: SQL and PL/SQL

[1z0-141](#) oracle9i forma developer:build internet applications

[1z0-101](#) develop pl/sql program units

[1z0-132](#) 9i Internet Application Developer Oracle9i, Build Internet Applications II

[1z0-140](#) oracle9i forms developer:new features

[1z0-131](#) 9i Internet Application Developer Oracle9i, Build Internet Applications I

Other Oracle Exams

<u>1z0-007</u>	<u>1z0-271</u>	<u>1z0-312</u>	<u>1Z0-200</u>	<u>1z0-130</u>	<u>1Z0-215</u>	<u>1z0-033</u>	<u>1z0-221</u>
<u>1z0-202</u>	<u>1z0-132</u>	<u>1z0-272</u>	<u>1Z1-054</u>	<u>1z0-035</u>	<u>1z1-051</u>	<u>1Z0-244</u>	<u>1z0-042</u>
<u>1z0-226</u>	<u>1z0-050</u>	<u>1z0-212</u>	<u>1z1-052</u>				