

1z1-312 Other Oracle Certification

Oracle Oracle Application Server 10g:Administration II

Practice Exam: 1z1-312 Exams

Exam Number/Code: 1z1-312

Exam Name: Oracle Application Server 10g:Administration II

Questions and Answers: 216 Q&As

([Other Oracle Certification](#))



Exam : [1z1-312](#)

"Oracle Application Server 10g:Administration II", also known as 1z1-312 exam, is a Oracle certification. With the complete collection of questions and answers, TestInside has assembled to take you through 216 Q&As to your 1z1-312 Exam preparation. In the 1z1-312 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

Quality and Value for the 1z1-312 Exam TestInside Practice Exams for Oracle **Other Oracle Certification** Certification 1z1-312 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z1-312 Exam.

1z1-312 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Other Oracle Certification product experts, included the current newest 1z1-312 examination questions.

3. 100% Guarantee to Pass Your Other Oracle Certification exam and get your Other Oracle Certification Certification.

If you do not pass the Oracle Certification 1z1-312 exam (Oracle Application Server 10g:Administration II) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 1z1-312 Q&A ensure you pass the exam at your first try.

TestInside professional provide Other Oracle Certification 1z1-312 the newest Q&A, completely covers 1z1-312 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z1-312 tests on Your First Try, 100% Money Back Guarantee included!

[Oracle 1z1-312](#) Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 1z1-312 exam

1z1-312 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z1-312 exam questions updated on regular basis

Same type as the certification exams, 1z1-312 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z1-312 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Oracle 1Z1-312

Title : Oracle Application Server 10g:Administration II

1. Why are Enterprise Deployment architectures secure?

- A. because Oracle Internet Directory is not isolated in the data-tier DMZ
- B. because direct communication from the load balancing router to the data-tier DMZ is allowed
- C. because communication from external clients does not go beyond the load balancing router level or webcache
- D. because communication between components across DMZs is not restricted by port and protocol

Answer: C

2. You want to make more than one application server instance available for the users simultaneously to counter any instance failure situation. You also want the configuration changes made to one instance to be propagated to other instances automatically. What would you do to achieve this?

- A. Implement Oracle Application Server Farm.
- B. Implement an island on Oracle Application Server instances.
- C. Implement OracleAS Cluster taking all the instances as part of the cluster.
- D. Implement OracleAS Cold Failover Cluster adding all the instances as part of the cluster.

Answer: C

3. View the Exhibit and examine the content of a log file at ORACLE_HOME/Apache/Apache/logs/oracle.

Which two statements describe the conclusion from the Exhibit? (Choose two.)

- A. Oracle Diagnostic Logging (ODL) has been disabled for Oracle HTTP Server.
- B. The content assists in correlating messages across components.
- C. ODL has been enabled for Oracle HTTP Server.
- D. The component-logging level has been set to its default value for Oracle HTTP Server.

Answer: BC

4. You are upgrading the OracleAS Infrastructure from 9.0.2 to 10.1.2.0.2. You noticed the following information in the output of the Metadata Repository Upgrade Assistant (MRUA):

What could be the reason for this?

- A. There are active middle-tier instances currently using OCA.
- B. The infrastructure should be upgraded to 9.0.4 and then to 10.1.2.0.2.
- C. The database that is used by the infrastructure is not available and is, therefore, shut down.
- D. The Oracle Application Server Certificate Authority (OCA) is not installed in the infrastructure.

Answer: D

5. To achieve high availability, you implemented OracleAS Cold Failover Cluster. Which statement is true regarding this?

- A. It involves two participating nodes, where both remain actively in use.
- B. It involves two participating nodes, where one remains actively in use and the other remains inactive.
- C. It does not manage virtual host names to present Oracle Application Server middle-tier a single system view of the hardware cluster.
- D. It involves two participating nodes, where one remains actively in use and the other remains inactive and they

cannot share the storage space.

Answer: B

6. View the Exhibit that shows an enterprise deployment architecture implementation.

Which kind of applications would you be able to deploy on this architecture? (Choose all that apply.)

- A. All type of OracleAS Forms applications
- B. OracleAS Portal applications that use SSO for secure access
- C. J2EE applications that use Single Sign-On (SSO) authentication
- D. OracleAS Reports applications that need to be deployed using a paper layout

Answer: BC

7. You have installed an OracleAS Cold Failover cluster (Middle-Tier) that has two nodes, NODE1 and NODE2, in the cluster where NODE1 is primary and NODE2 secondary. After installing, you have:

Which option would you consider before running the command?

- A. failing over from the NODE2 to NODE1
- B. propagating the changes from NODE2 to NODE1
- C. disabling the SSL connection for the OID users and enabling access to OID
- D. manually updating the portlist.ini file to include the correct port numbers in NODE1
- E. manually updating the portlist.ini file to include the correct port numbers in NODE2

Answer: D

8. Which are the three prerequisites for end users who want to use Discoverer Plus OLAP to create queries against the OLAP data? (Choose three.)

- A. Users must be assigned the D4OPUB role.
- B. Users must be assigned the SELECT_CATALOG_ROLE role.
- C. User must be created on the database where Discoverer Catalog is installed.
- D. Users must be enabled to create public connections for Discoverer Plus OLAP.
- E. Users must be enabled to create private connections for Discoverer Plus OLAP.

Answer: ACE

9. In an OracleAS Cluster configuration, three Oracle Application Server instances have been configured to serve the same workload. Which two techniques could be used for request distribution among the active instances? (Choose two.)

- A. Configuring virtual hosts
- B. Using the load balancer router
- C. Address lists configuration at Application-level
- D. Configuring Oracle Process Manager and Notification Server (OPMN)

Answer: BC

10. Which two statements correctly describe features of an OracleAS Cold Failover Cluster (Infrastructure) environment? (Choose two.)

- A. The virtual IP address is associated with the active node.
- B. Cluster nodes share a single storage device.
- C. The OracleAS software is installed on all cluster nodes.
- D. The OracleAS components run on all cluster nodes.

Answer: AB

11. You are using a file-based repository for the OracleAS Cluster. Which statement is true regarding the participating instances?

- A. The instances must be in the same node.
- B. The instances should belong to different platforms.
- C. The instances should be associated with OracleAS Metadata Repository.
- D. The instances should not belong to the same OracleAS Farm as the cluster.

E. The instances should not be associated an OracleAS Farm which uses Database-based Repository.

Answer: E

12. Which three statements correctly describe the feature of an OracleAS Cluster (Web Cache) and its members? (Choose three.)

A. The Web cache members communicate for invalidation and detection of new members within the Web cache cluster.

B. The cluster owns the cache contents and requests for the contents from the cluster members when the contents are requested.

C. The cluster uses the absolute capacity of each cache instance to distribute the cached content among the cache cluster members.

D. The Web cache cluster transfers the ownership of the cached content to another available member in an event of a member failure.

E. The cluster may store the popular objects, known as on-demand content, in the cache of more than one cluster member causing fewer requests being sent to the application Web server.

Answer: ADE

13. You implemented the J2EE enterprise deployment topology in your company. You implemented a firewall in front of a load balancer that receives user requests on the Web tier.

What is the reason for implementing a firewall?

A. to bypass the load balancer

B. to permit only HTTP(S) accesses through port 80 and 443

C. to stop redirection of requests received on port 80 to port 443

D. to allow direct communication from the load balancing router to the data-tier DMZ

Answer: B

14. Which two statements describe the features of an OC4J island? (Choose two.)

A. State replication is not possible within an OC4J island.

B. OC4J processes in an OC4J instance can be partitioned into islands.

C. An OC4J island can have the OC4J processes from multiple application server instances.

D. An OC4J island can have the OC4J processes from a single application server instance only.

Answer: BC

15. View the Exhibit that shows a tag added to the fixup_script.xml.tpl file.

What could be the reason for adding this tag during the cloning process?

A. to relocate the targets.xml and portlist.ini files in the cloned home

B. to change all occurrences of Oracle home in the targets.xml file of the cloned home

C. to replace the old port number in the targets.xml file with a new port number in the cloned home

D. to replace the old port number in the portlist.ini file with the new HTTP port number from the targets.xml file in the cloned home

Answer: C

16. Which two statements are true regarding the job status repository stored in the database, and specified in the report server configuration file? (Choose two.)

A. The job status repository is persistent.

B. The job status repository is created in the cgicmd.dat file.

C. There can be more than one job status repository mentioned in the configuration file.

D. The rw_server.sql script needs to be executed to create a table to store the repository.

Answer: AD

17. Note the following points about an Oracle Application Server deployment:

Which deployment topology is described here?

A. Security infrastructure topology

- B. J2EE enterprise deployment topology
- C. Portal enterprise deployment topology
- D. Business Intelligence and Forms topology

Answer: A

18. Which statement correctly describes a demilitarized zone (DMZ)?

- A. It is the computer system(s) between the outer and inner firewalls.
- B. It is the machine in which the database containing the metadata repository is installed.
- C. It is a protocol that uses the Secure Sockets Layer (SSL) to encrypt and decrypt user page requests.
- D. It is a computing system that is ready to pick up application processing in the event that the primary computing system fails.

Answer: A

19. In your OracleAS Identity Management cluster environment:

You are using the Oracle Real Application Clusters (RAC) to ensure high availability of OracleAS Metadata Repository. There are two instances of the database that are running on two different nodes in RAC

During routine checks, you realized that the primary node in the OracleAS Identity Management cluster environment has failed, thereby causing the Directory Replication server (oidrepld) and the Directory Integration and Provisioning server (oidsrv) to fail.

Which action would the OID Monitor process (OIDMON) perform so that the OID user requests will continue to get processed?

- A. redirect the client requests to the secondary node
- B. activate the DIP server on the secondary node in the RAC
- C. remap the virtual host name and the virtual IP to the secondary node
- D. automatically start the processes on the secondary node after 5 minutes

Answer: D

20. View the Exhibit.

You always use the URL http://edtdr5p1.us.oracle.com:7778/forms/frmservlet?form=dep_emp to access the dep_emp form. But now the URL displays the message shown in the Exhibit. What could be the reason for this?

- A. The Forms instance is down.
- B. The formsweb.cfg file is missing.
- C. The OC4J_BI_FORMS component is down.
- D. The value of allowNewConnections parameter has been changed.
- E. The Distributed Configuration Management (DCM) processes are not restarted after the changes in formsweb.cfg file.

Answer: D

[More 1z1-312 Information](#)

Related 1z1-312 Exams

[1z0-047](#) Oracle Database SQL Expert

[1z0-051](#) Oracle Database: SQL Fundamentals I

[1z0-053](#) Oracle Database 11g: Administration II

[1z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-218](#) PeopleSoft HRMS Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1z0-221](#) Oracle 11i inventory management fundamentals

[1z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

1z0-233 Oracle 11i install. patch and maintain applications

1z0-238 R12 Oracle: install, Patch and Maintain Oracle Applications

1z0-231 Oracle implement workflow 11i/2.6

1Z1-241 PeopleSoft Application Developer I: People Tools & PeopleCode

1z0-264 Hyperion Essbase Analytics 9.3 Developer

1z0-225 Oracle EBS R12: Inventory and Purchasing Fundamentals

1z0-241 PeopleSoft Application Developer I: PeopleTools&PeopleCode

1z0-202 Siebel 8 Consultant Exam

1z0-204 Oracle EBS R12: E-Business Essentials

1z0-223 Oracle order management 11i fundamentals

1z0-212 Oracle payables 11i funfamentats

Other Oracle Exams

1z0-312 1z0-007 1z0-403 1Z0-242 1z0-209 1Z1-402 1z0-301 1z0-010

1z0-147 1z0-600 1z0-101 1z0-132 1z0-032 1z0-271 1Z0-521 1Z0-516

1Z0-520 1z0-221 1z0-047 1z0-204