

310-303 SCSA10

SUN Sun Certified Security Administrator for the Solaris 10 OS

Practice Exam: 310-303 Exams

Exam Number/Code: 310-303

Exam Name: Sun Certified Security Administrator for the Solaris 10 OS

Questions and Answers: 295 Q&As

([SCSA10](#))



Exam : [310-303](#)

"Sun Certified Security Administrator for the Solaris 10 OS", also known as 310-303 exam, is a SUN certification. With the complete collection of questions and answers, TestInside has assembled to take you through 295 Q&As to your 310-303 Exam preparation. In the 310-303 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Quality and Value for the 310-303 Exam TestInside Practice Exams for SUN **SCSA10** Certification 310-303 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-303 Exam.

310-303 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SCSA10 product experts, included the current newest 310-303 examination questions.

3. 100% Guarantee to Pass Your SCSA10 exam and get your SCSA10 Certification.

If you do not pass the SUN Certification 310-303 exam (Sun Certified Security Administrator for the Solaris 10 OS) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 310-303 Q&A ensure you pass the exam at your first try.

TestInside professional provide SCSA10 310-303 the newest Q&A, completely covers 310-303 test original topic. With our complete SCSA10 resources, you will minimize your SCSA10 cost and be ready to pass your 310-303 tests on Your First Try, 100% Money Back Guarantee included!

[SUN 310-303](#) Test belongs to one of the SCSA10 certified test, if needs to obtain the SCSA10 certificate, you also need to participate in other related test, the details you may visit the [SCSA10](#) certified topic, in there, you will see all related SCSA10 certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 310-303 exam

310-303 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-303 exam questions updated on regular basis

Same type as the certification exams, 310-303 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-303 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : SUN 310-303

Title : Sun Certified Security Administrator for the Solaris 10 OS

1. Given:

```
jupiter:$md5,rounds=2006$2amXesSj5$$kCF48vPsHDjIKNXeEw7V.:12210::::
```

What is the characteristic of this /etc/shadow entry?

- A. User jupiter uses the md5 hash, with salt 2006\$2amXesSj5\$, and with the encrypted password \$kCF48vPsHDjIKNXeEw7V.
- B. User jupiter uses the 2a hash, with 2006 iterations of the hash, with salt 2amXesSj5, and with the encrypted password kCF48vPsHDjIKNXeEw7V.
- C. User jupiter uses the md5 hash, with 2006 iterations of the hash, with salt 2amXesSj5, and with the encrypted password kCF48vPsHDjIKNXeEw7V.
- D. User jupiter uses the md5 hash, with 2006 iterations of the hash, with no salt, and with the encrypted password \$rQmXesSj5\$\$kCF48vPsHDjIKNXeEw7V.

Answer: C

2. Click the Exhibit button.

You maintain a minimized and hardened web server. The exhibit shows the current credentials that the web server runs with. You receive a complaint about the fact that a newly installed web-based application does not function. This application is based on a /bin/ksh cgi-bin script.

What setting prevents this cgi-bin program from working?

- A. The system might NOT have /bin/ksh installed.
- B. The server is NOT allowed to call the exec system call.
- C. The server should run with uid=0 to run cgi-bin scripts.
- D. Some of the libraries needed by /bin/ksh are NOT present in the webserver's chroot environment.

Answer: B

3. A security administrator is required to validate the integrity of a set of operating system files on a number of Solaris systems. The administrator decides to use the Solaris Fingerprint Database to validate configuration and data files as well as binaries and libraries. What command, available by default in Solaris 10, will help the security administrator collect the necessary information that will be used with the Solaris Fingerprint Database?

- A. md5sum
- B. digest
- C. encrypt
- D. elfsign
- E. cryptoadm

Answer: B

4. One of the operators of the mainframe group was moved to the UNIX group and tasked to activate and configure password history. For every user, the last 10 passwords should be remembered in the history. In what file is the size of the password history configured?

- A. /etc/shadow
- B. /etc/pam.conf
- C. /etc/default/passwd
- D. /etc/security/policy.conf

Answer: C

5. You have been asked to implement defense in depth for network access to a system, where a web server will be running on an Internet-facing network interface. Which is NOT contributing to the defense in depth?

- A. running the web server in a zone
- B. using svcadm to disable unused services
- C. using IP Filter to limit which network ports can be accessed from the Internet
- D. using VLANs on a single network interface instead of using multiple network interfaces
- E. using TCP wrappers to limit from which system SSH be used to connect to the system

Answer: D

6. Which are two advantages of the Service Management Facility compared to the init.d startup scripts? (Choose two.)

- A. It restarts processes if they die.
- B. It handles service dependencies.
- C. It has methods to start and stop the service.
- D. It specifies what the system should do at each run level.

Answer: AB

7. Which two commands are part of Sun Update Connection? (Choose two.)

- A. /usr/bin/pkgadm
- B. /usr/bin/keytool
- C. /usr/sbin/smpatch
- D. /usr/sbin/patchadd
- E. /usr/bin/updatesmanager

Answer: CE

8. The /etc/default/passwd file contains a number of configuration parameters that can be used to constrain the character composition of user passwords. What is one of the dangers of having password composition too tightly constrained?

- A. Password complexity rules apply only to the English alphabet.
- B. The entropy of the resulting password strings will be very high.
- C. Duplication of encrypted user password strings is much more likely.
- D. Limited password value possibilities can simplify brute force attacks.
- E. Passwords are harder to compute when using many character classes.

Answer: D

9. A security administrator creates a directory called prevoy with the following access control policy:

```
$ getfacl prevoy
# file: prevoy
# owner: secadm
# group: secadm
user::rwx group::r-x #effective:r-x
mask:r-x
other:r-x
default:user::r--
default:user:sysadm:rw-
default:group::r--
default:group:sysadm:rw-
default:mask:rwx
default:other:---
```

Into this directory, the security administrator creates a file called secrets. The ls command reports the following for the prevoy directory and secrets file:

```
$ ls -ld . secrets
```

```
drwxr-xr-x+ 2 secadm secadm 512 Jun 6 16:38 .
```

```
-r--r-----+ 1 secadm secadm 0 Jun 6 16:38 secrets
```

Which two actions can be successfully taken by the sysadm role? (Choose two.)

- A. The sysadm role can read the secrets file.
- B. The sysadm role can write to the secrets file.
- C. The sysadm role can remove the secrets file.
- D. The sysadm role can create new files under the prevoy directory.
- E. The sysadm role can change the Access Control Lists of the prevoy directory.

Answer: AB

10. You decided it was worth maintaining an extremely paranoid policy when configuring your firewall rules. Therefore, you had your management approve the implementation of a security policy stance to deny all inbound connection requests to your corporate network. How is it possible that you still suffer from remote exploits that your adversaries are using to obtain interactive sessions inside your firewall?

- A. TCP splicing is easy to do.
- B. Internal software may be vulnerable.
- C. UDP vulnerabilities are well-known and exploited.
- D. ICMP hijacking attacks can still succeed through any firewall.

Answer: B

11. Solaris Auditing supports the selective logging of which two kinds of events? (Choose two.)

- A. file access by selected users
- B. access to selected files by all users
- C. selected users making outbound network connections
- D. password changes which do not meet the system password policy

Answer: AC

12. Within the context of file integrity, rules can be implemented to change the scope of the Basic Audit and Report Tool (BART) manifest.

Given the rule file:

```
/home/bert/docs *.og[dt]
```

```
CHECK all
```

```
IGNORE mtime
```

Which two statements are valid? (Choose two.)

- A. All files on the system will be checked.
- B. The last modification time of all checked files will not be checked.
- C. Key words such as CHECK and IGNORE can NOT be used in a rule file.
- D. Only files with extension .ogt and .ogd in the directory /home/bert/docs will be checked.
- E. All files on the system will be checked, except for files with extensions .ogt and .ogd in the directory /home/bert/docs.

Answer: BD

13. A new security related patch has been released for the Solaris OS. This patch needs to be applied to the system that functions as your web server. The web server is configured to run in a non-global zone. Can you just use patchadd to apply the patch to the global zone to update the web server zone?

- A. No, you need to shut down the web server zone first.
- B. Yes, patches will be automatically applied to all zones.
- C. No, you need to apply the patch to the web server zone separately.
- D. Yes, but you must make sure that the web server zone is booted first.

Answer: B

14. To harden a newly installed Solaris OS, an administrator is required to make sure that syslogd is configured to

NOT accept messages from the network. Which supported method can be used to configure syslogd like this?

- A. Run `svcadm disable -t svc:/network/system-log`.
- B. Edit `/etc/default/syslogd` to set `LOG_FROM_REMOTE=NO`.
- C. Edit `/etc/rc2.d/S74syslog` to start syslogd with the `-t` option.
- D. Edit `/lib/svc/method/system-log` to set `LOG_FROM_REMOTE=NO`.

Answer: B

15. You have been asked to grant the user `enovy`, a member of the `staff` group, read and write access to the file `/app/notes` which has the following properties:

```
ls -l /app/notes
```

```
-rw-rw---- 1 root app 0 Jun 6 15:11 /app/notes
```

Which options will NOT grant the user the ability to read and write the file?

- A. `usermod -G app enovy`
- B. `setfacl -m user:enovy:rw- /app/notes`
- C. `setfacl -m group:staff:rw- /app/notes`
- D. `usermod -K defaultpriv=basic,file_dac_read,file_dac_write enovy`

Answer: D

16. You are configuring a new system to be used as an intranet web server. After you have installed the minimal amount of packages and patched the system, you added the appropriate web server packages (`SUNWapch2r` and `SUNWapch2u`). By default, the web server daemon will be started using UID `webservd` and the basic privilege set. To comply with the company's policy of least privilege, you need to minimize the privileges that the web server will have.

What will you modify to specify the privileges that the web service will run with?

- A. the `PRIV_DEFAULT` setting in `/etc/security/policy.conf`
- B. the `defaultpriv` setting of `webservd` in `/etc/user_attr`
- C. the `privileges` property of the web service in the SMF repository
- D. the `privs` property of the web service in `/etc/security/exec_attr`

Answer: C

17. A security administrator has a requirement to deploy the Solaris Security Toolkit onto all Solaris servers in the department. In this environment, there are a variety of platforms and operating system versions deployed. Onto which two platforms and operating system combinations can the Solaris Security Toolkit be deployed in a supported configuration? (Choose two.)

- A. x86, Solaris 2.4
- B. x64, Solaris 9
- C. x86, Solaris 10
- D. SPARC, Solaris 2.6
- E. SPARC, Solaris 8

Answer: CE

18. Which two tasks does the Key Distribution Center (KDC) perform? (Choose two.)

- A. issues service tickets
- B. authenticates services
- C. issues ticket-granting-tickets
- D. validates passwords sent in clear text
- E. provides private sessions to services

Answer: AC

19. The company security policy now requires very detailed auditing of all actions. This includes capturing all executed commands together with their arguments and the environment variables.

After activating auditing on all Solaris 10 systems, the security auditor complains about having to check the audit trail on each individual host. He asks for a central place to capture all audit trails.

Using standard Solaris 10 security features, which is a solution to this problem?

- A. Configure auditd to send email with the events.
- B. Configure auditd to send the output using syslog to a central loghost.
- C. Configure auditd to store the audit trail using NFS on a central server.
- D. Configure auditd to store the audit trail using LDAP in a central directory.

Answer: C

20. After a recent audit, you have been requested to minimize an existing Solaris system which runs a third party database application. Which two should you do before starting to minimize the system? (Choose two.)

- A. Back up the system.
- B. Remove any unneeded patches.
- C. Install the SUNWmet metacluster.
- D. Remove any unneeded packages.
- E. Confirm with the vendor of the database software that they support minimization.

Answer: AE

[More 310-303 Information](#)

Related 310-303 Exams

[310-200](#) Sun Certified System Administrator for Solaris 10 OS.Part 1

[310-202](#) Sun Certified System Administrator for Solaris 10 OS.Part 2

[310-302](#) Sun Certified Network Administrator for Solaris 10 OS

[310-303](#) Sun Certified Security Administrator for the Solaris 10 OS

[310-301](#) Sun Certified Security Administrator

[212-200](#) Sun Certified System Administrator for Solaris 10 OS, Part 1

[212-202](#) Sun Certified System Administrator for Solaris 10 OS, Part 2

Other SUN Exams

[310-630](#) [310-035](#) [310-560](#) [310-](#) [310-044](#) [310-045](#) [310-061](#) [310-811](#)

[620Big5](#) [310-043](#) [310-100](#) [310-875](#) [310-878](#)

[310-052](#) [310-016](#) [310-620](#) [310-345](#) [310-202](#) [310-879](#) [310-055](#) [310-200](#)