

310-880 SUN Other Certifications

SUN SUN Certified Senior System Support Engineer


Practice Exam: 310-880 Exams

Exam Number/Code: 310-880

Exam Name: SUN Certified Senior System Support Engineer

Questions and Answers: 120 Q&As

([SUN Other Certifications](#))



Exam : [310-880](#)

"SUN Certified Senior System Support Engineer", also known as 310-880 exam, is a SUN certification. With the complete collection of questions and answers, TestInside has assembled to take you through 120 Q&As to your 310-880 Exam preparation. In the 310-880 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Quality and Value for the 310-880 Exam TestInside Practice Exams for SUN **SUN Other Certifications** Certification 310-880 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-880 Exam.

310-880 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SUN Other Certifications product experts, included the current newest 310-880 examination questions.

3. 100% Guarantee to Pass Your SUN Other Certifications exam and get your SUN Other Certifications Certification. If you do not pass the SUN Certification 310-880 exam (SUN Certified Senior System Support Engineer) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 310-880 Q&A ensure you pass the exam at your first try.

TestInside professional provide SUN Other Certifications 310-880 the newest Q&A, completely covers 310-880 test original topic. With our complete SUN Other Certifications resources, you will minimize your SUN Other Certifications cost and be ready to pass your 310-880 tests on Your First Try, 100% Money Back Guarantee included!

[SUN 310-880](#) Test belongs to one of the SUN Other Certifications certified test, if needs to obtain the SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the [SUN Other Certifications](#) certified topic, in there, you will see all related SUN Other Certifications certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 310-880 exam

310-880 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-880 exam questions updated on regular basis

Same type as the certification exams, 310-880 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-880 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : SUN 310-880

Title : SUN Certified Senior System Support Engineer

1. You receive a call from a customer who states that their Solaris 9 NTP client is not synchronizing to their NTP server. Which three commands should you use to investigate further? (Choose three.)

- A. ntpq -p
- B. svcs -l xntp
- C. ps -ef | grep xntp
- D. cat /etc/inetd/ntp.client
- E. cat /etc/inetd/ntp.server
- F. grep xntpd /var/adm/messages

Answer: ACF

2. You are installing a Sun Fire 15K server. The System Controller comes with a pre-installed, EIS compliant Solaris image. You need to confirm that this image was installed with the current EIS CD.

Which file can be used to determine the current version of the EIS CD used on a system?

- A. /etc/motd
- B. /etc/release
- C. /sun/install.log
- D. \$SMSETC/SMS/config/smsversion.cf

Answer: C

3. You have performed a setkeyswitch on for domain A on a Sun Fire 6800 where the auto-boot? OBP variable is set to false. What command at the OBP should you run to find the status of the POST?

- A. showlog-results
- B. showlog results
- C. show-log-results
- D. showpost-results
- E. showpost results
- F. show-post-results

Answer: F

4. You install a system to customer specifications and after rebooting you get the following message:

NIS server not responding for <domain> ... retrying

The customer tells you that there is a network problem which prevents this machine from reaching the NIS server. You boot the machine into single user mode.

What action should you take to allow the system to operate until the NIS server is reachable again?

- A. Edit /etc/nsswitch.conf so that file is first for all entries and reboot into multiuser mode.
- B. Copy /etc/nsswitch.files to /etc/nsswitch.conf and reboot into multiuser mode.
- C. Edit /etc/resolv.conf so that the domain entry is commented out and reboot into multiuser mode.
- D. Rename /etc/rc2.d/S72inetsvc to /etc/rc2.d/DisabledS72inetsvc and reboot into multiuser mode.

Answer: B

5. A user of DHCP is having trouble connecting to a DHCP server. After analyzing the system, you find the DHCP daemon is NOT running. Which command should you use to start the DHCP daemon?

- A. /usr/lib/inet/dhcppd
- B. /etc/rc2.d/dhcp start
- C. /etc/init.d/dhcp start
- D. /etc/init.d/S45dhcp start
- E. /etc/rc2.d/S99dhcpageant start

Answer: C

6. A customer requires additional swap space on their system. As the customer does not want to repartition their disks, a decision to use a swap file is made. Which entry should you use in the /etc/vfstab file so that the new swap file is activated automatically when the system is booted?

- A. /path/filename - - swap - no -
- B. /path/filename - - tmpfs - no -
- C. /path/filename - - swap - yes -
- D. /path/filename - - tmpfs - yes -

Answer: A

7. You are checking a Sun Fire V880 system configuration for dual-loop fibre disk operation. What command will show the existence of dual-loop?

- A. prtfru -v
- B. prtconf -pv
- C. prtdiag -v
- D. luxadm display enclosure
- E. luxadm -e disp_port_map path_to_disk

Answer: D

8. You are installing a used StorEdge 3310 SCSI array on a Sun Fire V480 server. You want to determine if the disks have updated firmware. Which command should you use to evaluate the firmware level?

- A. fru stat
- B. iostat -En
- C. iostat -tcx
- D. prtconf -pv
- E. luxadm -e probe | grep version
- F. luxadm display -v /dev/rdisk/cXtXdX

Answer: B

9. After creating a Jumpstart server, you try to boot the client using the command boot net - install, but receive the following messages:

ok boot net - install

Boot device: /pci@1f,700000/network@2 File and args: - install

Timeout waiting for ARP/RARP packet

Timeout waiting for ARP/RARP packet

Timeout waiting for ARP/RARP packet

Timeout waiting for ARP/RARP packet

Timeout waiting for ARP/RARP packet

Timeout waiting for ARP/RARP packet

Which five could cause this problem? (Choose five.)

- A. Alias "net" not correctly set
- B. Client not running watch-net-all
- C. in.rarpd not running on boot server
- D. Network cable not correctly connected
- E. A duplicate hostname in /etc/hosts
- F. Failed to issue a reconfigure boot command
- G. MAC address entry missing in /etc/ethers

Answer: ACDEG

10. A customer wants a new PCI Ethernet card installed in a Sun Fire E2900. After physically installing the card, you want to verify that the system recognizes the card before the OS is booted. Which two OBP commands can you use to accomplish this? (Choose two.)

- A. devalias
- B. show-devs
- C. show-nets
- D. .inet-addr
- E. probe-net-all
- F. probe-scsi-all

Answer: BC

11. You are asked to configure a Sun Fire 6800 domain to remotely mount /usr/local. The filesystem mount must have the following properties:

- 1) The client must not be able to delete files on the server.
- 2) The filesystem must be automatically mounted at boot time.

Which /etc/vfstab entry meets both requirements?

- A. remote-server:/usr/local - /usr/local nfs - no rw
- B. remote-server:/usr/local - /usr/local nfs - yes ro
- C. remote-server:/usr/local - /export/local nfs - no rw
- D. remote-server:/export/local - /usr/local rfs - yes ro

Answer: B

12. You are installing a Sun Fire E2900 on a customer site and the customer wants to configure the POST level on the System Controller to run at the maximum level. What command from the LOM prompt should you run to configure the SC POST level?

- A. setupsc
- B. setuplom
- C. setupnetwork
- D. setupplatform

Answer: A

13. You are updating Jumpstart config files with the following parameters supplied by the customer:

```
system_locale=C
timezone=US/Eastern
timeserver=129.148.94.5
network_interface=primary {netmask=255.255.255.0 protocol_ipv6=no}
terminal=dtterm s
ecurity_policy=NONE
name_service=NONE
```

Which file should you update with the customer required parameters?

- A. /etc/bootparams
- B. /Jumpstart/rules
- C. /Jumpstart/class
- D. /Jumpstart/sysidcfg

Answer: D

14. You begin to boot a Sun Fire V1280 server, but realize some additional settings need to be checked. You decide to stop the boot and bring the system to the OK prompt. How can you accomplish this during the boot process?

- A. Type ~..
- B. Type break.
- C. Go to the lom > prompt and type break.

D. Go to the lom > prompt and type reset -x.

Answer: C

15. You are installing a 66 Mhz PCI card in a Sun Fire 6800. The customer tells you they want the best performance from the card. (Note, the customer has no PCI+ I/O Boards installed in the system)

How many slots in an 8-slot PCI I/O Board can operate at 66 Mhz?

- A. 0
- B. 1
- C. 2
- D. 3
- E. 4

Answer: C

16. A customer is connected to a remote machine and needs to know some information about the CPUs installed. Which two Solaris commands can be used to determine the number of CPUs installed, and the speed of each?

(Choose two.)

- A. psradm
- B. cpustat
- C. devfsadm
- D. psrinfo -v
- E. prtdiag -v

Answer: DE

17. You are conducting a pre-install site survey for 8 Sun Fire V890s and 4 Sun Rack 900s in a raised floor environment. The customer wants to install them in 2 rows, one in front of the other.

How should you configure the placement of the systems?

- A. The Sun Fire V890s should be placed back to back, and perforated floor tiles should be placed in front of the racks.
- B. The Sun Fire V890s should be placed back to back, and perforated floor tiles should be placed at the rear of the racks.
- C. The Sun Fire V890s should be facing the same direction, one behind the other, and perforated floor tiles should be placed in front of the racks.
- D. The Sun Fire V890s should be facing the same direction, one behind the other, and perforated floor tiles should be placed both in front of, and at the rear of the racks.

Answer: A

18. You have connected a workstation's 'ce0' interface into a network with a DHCP service. Which command should you issue to have your workstation receive a DHCP IP address from the server?

- A. dhcp get ce0
- B. dhcpconfig ce0
- C. ifconfig ce0 plumb dhcp
- D. ifconfig ce0 plumb auto-dhcp

Answer: D

19. You are configuring the eri0 network interface using the ifconfig command with the options netmask + and subnet mask 255.255.255.0.

```
# /usr/sbin/ifconfig eri0 netmask +
```

To verify the system is properly set up you issue an ifconfig -a command. You notice that the eri0 network interface has the netmask incorrectly set for 255.255.0.0.

Which file do you need to check first?

- A. /etc/hosts
- B. /etc/netmasks
- C. /etc/hostname.eri0
- D. /etc/nsswitch.conf

Answer: B

20. A customer has centralized platform and domain logging on a Sun Fire 6800 to a log server called 'sfv210-a'. The customer wants to keep the platform and domain messages separate, so they have configured the System Controller on the Sun Fire 6800 to use the syslog facility 'local0' for the platform messages, and 'local1' for the domain messages.

What two lines should be added to the /etc/syslog.conf file on the log server 'sfv210-a' to separate the two types of syslog messages? (Choose two.)

- A. local0.notice /var/adm/messages
- B. local1.notice /var/adm/messages
- C. local1.notice /var/adm/messages.local1
- D. local0.notice /var/adm/messages.local0
- E. local0.notice sfv210-a:/var/adm/messages.local0
- F. local1.notice sfv210-a:/var/adm/messages.local1

Answer: CD

[More 310-880 Information](#)

Related 310-880 Exams

310-061	SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE™. PATR III
310-610	EDS Certified Sun Fire Workgroup Administrator
310-230	Sun Certified Developer for Java Web Services
310-345	Sun Certified System Administrator for Sun Cluster 3.2
310-810	Sun Certified MySQL 5.0 Database Administrator Part 1
310-600	SUN SIGMA BLACK BELT CERTIFICATION
310-052	Sun Certified Enterprise Architect for J2EE 5
310-051	SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE(tm) TECHNOLOGY
310-620	EDS Certified Sun Enterprise 10K Server Administrator
310-105	Sun Certified Solaris Associate
310-066	Upgrade EXAM for the Sun Certified for Java Programmer.SE6.0
310-203	Sun Certified System Admin for Solaris 10 OS Upgrade
310-811	Sun Certified MySQL 5.0 Database Administrator Part II
310-019	Sun Certified Associate.Java Platform.Se. Exam Version 1.0
310-330	Sun Certified Systems Installer for Sun Cluster 3.X
310-231	Sun Certified Developer for Java Web Services 5
412-600	SUN Certified OpenOffice.org Writer Specialist
310-400	Sun Certified Integrator for Identity Manager 7.1
310-062	Sun Certified Enterprise Architect for the Java Platform, Enterprise Edition 5
310-150	SUN CERTIFIED BACKUP AND RECOVERY ENGINEER

Other SUN Exams

310-	310-345	212-056	212-105	310-	310-051	310-082	310-081
620Big5				600Big5	310-061	310-090	310-012
310-027	310-813	310-502	212-083	310-875	310-814	310-877	310-065
310-084							