

Same type as the certification exams, 642-072 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-072 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-072

Title : Cisco(r) Unity Design and Networking(CUDN)

1. You are setting up VLANs for integration with IP telephony. Cisco Unity must reside on which VLAN?

- A. on the same VLAN as the Cisco Unified CallManager
- B. on the same VLAN as the messaging servers
- C. In a voice-mail-only environment on the voice VLAN, in Cisco Unity Unified Messaging it does not matter.
- D. The voice VLAN is preferable, but not mandatory.

Answer: B

2. You are attempting to manage subscribers on other Cisco Unity servers. When you attempt to connect, you are denied access. What is the probable cause?

- A. You can use only Terminal Services for this function.
- B. You do not have permissions and must run the Grant Unity Access utility.
- C. You cannot manage Cisco Unity servers located outside your dialing domain.
- D. The Cisco Unity server you are attempting to reach has the Cisco Security Agent for Unity installed.

Answer: B

3. The Cisco Unity Voice Connector performs which task on an outgoing VPIM message?

- A. sets the address type to VOICE
- B. converts the message to MAPI format
- C. stores the message in the VPIM mailbox
- D. converts the outgoing message to G.726

Answer: D

4. Refer to the exhibit. Which Cisco Unity deployment model is shown?

- A. centralized call processing, distributed messaging
- B. centralized call processing, centralized messaging
- C. distributed call processing, decentralized messaging
- D. localized call processing, localized branch messaging

Answer: A

5. A customer has Cisco Unity installed in a distributed call-processing configuration. At their remote location, one of their two Cisco Unity Unified Messaging servers experiences a catastrophic failure. Your customer wants to use the recent Cisco Unity Disaster Recovery Tool backup to restore the failed server user database to the functioning Cisco Unity server.

What do you tell the customer?

- A. This will work only if the user database does not exceed 7500 users on the functioning server.
- B. This will work if all the user Exchange aliases are unique.
- C. The Disaster Recovery Tool will restore only to the default Cisco Unity database.
- D. VERITAS Backup Exec must be used in this scenario.

Answer: C

6. Which Cisco Unity component does VERITAS Backup Exec back up that the Cisco Unity Disaster Recovery Tool does not?

- A. routing rules

- B. SQL database
- C. operating system
- D. off-box messages

Answer: C

7. Refer to the exhibit. Company A deploys three Cisco Unity servers to provide messaging for their headquarters. They recently acquired Company B, which has a networked Octel voice-mail system. Redundant OC-3 WAN connections have been provisioned for IP connectivity between all locations. You must interconnect the two voice-mail systems.

What is the best location for deploying the Bridge server?

- A. Site A
- B. Site B
- C. Site C
- D. Site D

Answer: B

8. Refer to the exhibit. How many Bridge delivery locations must be configured in the Cisco Unity Bridgehead server?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

9. Refer to the exhibit. Your company needs to exchange voice messages with a supplier using VPIM. You are asked to provide "dial by name" and you want to maintain your internal 5-digit dialing plan. You add VPIM subscribers using a 5-digit extension and a 5-digit remote mailbox number. Because the voice-mail system of your supplier supports only blind addressing, they want to use the full DID number to send messages to you.

Which prefix should be configured in Cisco Unity server VPIM delivery location?

- A. Cisco Unity Prefix=23
- B. Cisco Unity Prefix=40823
- C. Remote Cisco Unity Prefix=78
- D. Remote Cisco Unity Prefix=91978

Answer: D

10. The Interop Gateway service is configured to run on which server or servers in an interoperability scenario?

- A. IBM Lotus Domino server or servers with Cisco Unity users
- B. all Cisco Unity servers in the IBM Lotus Domino configuration
- C. the Cisco Unity Bridgehead server in the IBM Lotus Domino configuration
- D. IBM Lotus Domino servers where the DUC is installed

Answer: C

11. Refer to the exhibit. A company has a remote branch with 50 telephones. There are no hardware transcoders on the routers.

With the configuration as presented, which statement is true about codec use on the Cisco Unity?

- A. Cisco Unity should be set to use G.729a.
- B. Cisco Unity should always use G.711 for messages.
- C. Cisco Unity should use G.729a for messages and G.711 for prompts.
- D. Cisco Unity codec must always be matched to Cisco Unified CallManager in centralized messaging deployments.

Answer: A

12. You are asked to consult on a Cisco Unity installation at the customer branch location. Users have slow access when they log on to Cisco Unity to retrieve their messages. At the branch location there are 2000 users on each of the two Cisco Unity servers and two Exchange servers. The call traffic is relatively low. There is never a time when all

ports are busy on either Cisco Unity server. At headquarters there are two Cisco Unity servers, two Exchange servers, and a domain controller/global catalog server.

How can you solve the issue at the branch location?

- A. The Exchange Optimizer application should be run on both messaging stores.
- B. An additional Exchange server should be added to the remote site.
- C. A domain controller/global catalog server with name resolution should be added to the remote site for authentication.
- D. More fiber-optic-level bandwidth should be added between the Cisco Unity servers and the Exchange servers.

Answer: C

13. Your customer is concerned about security on their Cisco Unity Unified Messaging installation. Which two steps can they take to improve security? (Choose two.)

- A. Install antivirus software.
- B. Perform a nightly backup.
- C. Keep voice-mail messages on the box.
- D. Install Cisco Security Agent for Cisco Unity.
- E. Isolate Cisco Unity behind a separate firewall.

Answer: AD

14. The Cisco Unity Internet Voice Connector performs which task on incoming VPIM messages?

- A. sets the address type to VOICE
- B. converts the message to MAPI format
- C. routes messages to the UOmni mailbox
- D. converts voice attachments to the G.729a audio format

Answer: B

15. Some Cisco Unity Unified Messaging users complain that they cannot make a TRaP connection when attempting to play and record messages through their desktops. What is a possible cause of this?

- A. A firewall separates these users from Cisco Unity.
- B. These users are not licensed for Unified Messaging.
- C. These users need to have their Exchange mailboxes modified to allow access.
- D. The Cisco Unity server does not have a sufficient number of Unified Messaging licenses.

Answer: A

16. Refer to the exhibit. Given the information shown and knowledge that hardware transcoders are installed on the routers, which codec should be used by the Cisco Unity server for prompts and message record format?

- A. G.711
- B. G.726
- C. G.729a
- D. GSM 6.10

Answer: A

17. Which statement about the DiRT backup is true?

- A. It can be restored to a functioning Cisco Unity of the same software level.
- B. It can be restored to a functioning Cisco Unity of an upgraded software level.
- C. It can be restored to a Cisco Unity platform with only the operating system installed.
- D. It can be restored to a Cisco Unity platform with the operating system and SQL installed.

Answer: A

[More 642-072 Information](#)

9L0-007 *Macintosh Service Certification Exam*

GB0-190Chinese *Construction Small-and Medium-Sized Enterprise Network*

642-105 *Implementing Cisco Unified Messaging*

642-164 *Unified Communications Contact Center Express.(UCCX)*

642-072 *Cisco Unity Design and Networking(CUDN)*

GB0-520 *Building Secure Virtual Private Networks*

GB0-190 *Construction Small-and Medium-Sized Enterprise Network*

642-242 *Unified Contact Center Enterprise Implementation(UCCEI)*

646-056 *Advanced Routing and Switching Life Cycle Services (LCSARS)*

646-573 *Cisco Lifecycle Services Advanced Security(LCSAS)*

GB0-540 *Advanced Intrusion Prevention System Configuration*

646-222 *IP Communications Express Account Manager (IPCXAM)*

GB0-500 *Implementing Secure Firewalls*

646-361 *Foundation Express for Account Managers(FOUNDAM)*

646-151 *Cisco Sales Associate Exam*

646-561 *Advanced Security for Account Manager(ASAM)*

646-589 *Cisco Lifecycle Services Advanced Wireless(LCSAWLAN)*

642-052 *Routing and Switching SE/FE*

646-392 *Lifecycle Services Exam(LCSE)*

646-574 *le Services Advanced Security (LCSAS)*

Other Cisco Exams

646-574 642-812 642-071 350-020 642-972 642-552 642-975 642-541

642-973 640-822 640-802 646-393 642-982 642-577 646-362 642-731

646-573 642-383 646-301 350-018-

LAB