

## 642-105 Others

### Cisco Implementing Cisco Unified Messaging


**Practice Exam:** 642-105 Exams

**Exam Number/Code:** 642-105

**Exam Name:** Implementing Cisco Unified Messaging

**Questions and Answers:** 68 Q&As

( [Others](#) )



Exam : [642-105](#)

"Implementing Cisco Unified Messaging", also known as 642-105 exam, is a Cisco certification. With the complete collection of questions and answers, TestInside has assembled to take you through 68 Q&As to your 642-105 Exam preparation. In the 642-105 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

Quality and Value for the 642-105 Exam TestInside Practice Exams for Cisco **Others** Certification 642-105 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### ***TestInside provide the professional Q&A.***

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-105 Exam.

642-105 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Others product experts, included the current newest 642-105 examination questions.

3. 100% Guarantee to Pass Your Others exam and get your Others Certification.

If you do not pass the Cisco Certification 642-105 exam (Implementing Cisco Unified Messaging) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### ***use TestInside 642-105 Q&A ensure you pass the exam at your first try.***

TestInside professional provide Others 642-105 the newest Q&A, completely covers 642-105 test original topic. With our complete Others resources, you will minimize your Others cost and be ready to pass your 642-105 tests on Your First Try, 100% Money Back Guarantee included!

[Cisco 642-105](#) Test belongs to one of the Others certified test, if needs to obtain the Others certificate, you also need to participate in other related test, the details you may visit the [Others](#) certified topic, in there, you will see all related Others certified subject of examination.

#### ***TestInside Testing Engine Features***

Comprehensive questions and answers about 642-105 exam

642-105 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-105 exam questions updated on regular basis

Same type as the certification exams, 642-105 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-105 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-105

Title : Implementing Cisco Unified Messaging

1. A centralized Cisco Unity system serves several small remote sites. How can they move to the G.729a codec for message storage?

- A. In the Cisco Unity Tools depot, in Advanced Settings Tools, run the Set Codec Sample utility.
- B. In the Cisco Unity Tools depot, in Audio Management Tools, run the Set Record Format utility.
- C. In Regedit, set the ActiveVoice-->Conversation Sampling 711 DWORD value to 0 and the 7.29a DWORD value to 1.
- D. In the Cisco Unity system Administrators web tool, In System Configurations, set the Record Sampling Codec on the ports page to 7.29a.

Answer: B

2. After installing and debugging Cisco Unity Bridge, you run the Bridge Analog Network And Node Analyzer. You view the call traces and find that there are errors logged. What is the recommended course of action?

- A. Use the port status monitor to check the analog port capacity.
- B. Execute the Event Monitoring Service for more in-depth diagnostics.
- C. Run BANANA at least daily to learn what ratio of errors is "normal."
- D. Run Bridge Directory Synchronization in the Cisco Unity Diagnostic Tool.

Answer: C

3. Your customer has asked you to install a 96-port Cisco Unity Unified Messaging system. Which three components must be installed on the server before installing the Cisco Unity software ? (Choose three.)

- A. Exchange Server 2003
- B. SQL Server 2000
- C. MSDE 2000
- D. MSXML 3.0
- E. Microsoft Internet Explorer 6.0
- F. Exchange Server 2007

Answer: BDE

4. Message waiting lamps are very slow in coming on after messages are received. The circuit-switched PBX integration is working well and is not the cause. A Cisco Unity port is set to exclusively dial out MWI.

How do you confirm that the problem is corrected?

- A. Open the Call Viewer Utility.  
Leave messages for subscribers.  
Cisco Unity should immediately send data packets to the phone system.
- B. Open the Integration Monitor.  
Leave messages for subscribers.  
Cisco Unity should immediately send data packets to the phone system.
- C. Open the Ports page in the Cisco Unity Telephone Integration Manager.  
Leave messages for subscribers.  
Cisco Unity should immediately send data packets to the phone system.
- D. Open the Ports page on the System Administration screens.  
Leave messages for subscribers.  
Cisco Unity should immediately send data packets to the phone system.

Answer: B

5. Which Cisco Unity utility is useful when converting subscribers from a voice mail only system to unified messaging ?

- A. Advanced Settings Tool--convert mailbox setting
- B. Bulk Edit Utility
- C. Global Subscriber Manager
- D. Migrate Subscriber Data

Answer: D

6. What happens when a subscriber who owns a call handler is deleted from Cisco Unity 5.0?

- A. The Cisco Unity program reassigns ownership of call handlers to the subscriber entered on the system > configuration page of the system administration screens.
- B. The Cisco Unity program automatically deletes the associated Microsoft Active Directory account.
- C. The Cisco Unity program prompts the user to choose a different subscriber to reassign to the deleted subscriber's call handlers.
- D. The Cisco Unity program prompts the user to run DbWalker Utility to fix the orphaned call handler.

Answer: A

7. Your customer is attempting to add VPIM subscribers and is receiving an error that they must first perform which of these tasks?

- A. Configure the Voice Connector.
- B. Configure the primary location object.
- C. Configure the VPIM account.
- D. Configure the VPIM delivery location object.

Answer: D

8. The VPIM directory account is created by which Cisco Unity utility?

- A. Message Store Monitor
- B. Unity Telephone Integration Manager
- C. Configuration Manager
- D. Advanced Settings Tool

Answer: C

9. Your client would like to be able to back up and restore the entire Cisco Unity server, including the operating system and SQL database in case of a catastrophic failure of the Cisco Unity server. Which Cisco Unity or third-party utility would you tell them to use?

- A. Cisco Unity Database Recovery Tool
- B. software such as Symantec/Veritas Backup Exec
- C. Cisco Unified Communications Manager Backup and Restore Utilities
- D. Cisco Unity Disaster Recovery Backup and Restore Utilities with full backup options selected

Answer: B

10. You are installing Cisco Unity 5.0 with Exchange Server 2000 for a customer. Which two operating system options are supported for this install? (Choose two.)

- A. Windows 2000 Advanced Server
- B. Windows Server 2003 R2 Enterprise
- C. Windows 2000 Server
- D. Windows Server 2003 R2 Standard Edition
- E. Windows Server 2003 Standard Edition

Answer: AC

11. You have completed setting up your call handlers. What utility can you use when dialed in to verify that calls are

routed to the correct call handlers?

- A. Audio Text Manager
- B. Unity Diagnostic Viewer
- C. Gather Unity System Information
- D. Port Status Monitor

Answer: D

12. You thought you had assigned the Text to Speech feature to certain users in a class of service, however after importing them using the Bulk Import Utility the feature is not working for any of them. What could be the cause?

- A. You selected the incorrect class of service while using the Bulk Import Utility.
- B. You forgot to fill in the TTS\_FEATURE field.
- C. You selected the incorrect subscriber template when using the Bulk Import Utility.
- D. You selected the incorrect Exchange mailstore when importing the subscribers.

Answer: C

13. An organization with three Cisco Unity servers recently merged with another organization using a Nortel Meridian voice mail system. The organization set up a VPIM delivery location on one Cisco Unity server only. Can the other two Cisco Unity servers send VPIM messages?

- A. Yes, but only if they build the VPIM subscribers.
- B. Yes, if the other servers set their primary location search options to the Global Directory.
- C. No, you must install the Cisco Unity Voice Connector for Microsoft Exchange on the other servers.
- D. No, you must build VPIM delivery locations on every Cisco Unity server.

Answer: B

14. You have been asked to configure a Cisco Unity voice messaging system to deliver messages for subscribers with accounts on a non-Cisco Unity voice messaging system using the AMIS protocol. When configuring the delivery location object for the AMIS target system, which information must you supply about the system to which messages will be delivered?

- A. the telephone number and node ID
- B. the node ID and fully qualified domain name
- C. the telephone number, node ID, and extension length
- D. the telephone number, node ID, and fully qualified domain name

Answer: A

15. Cisco Unity is being installed as follows:

unified messaging

failover enabled

The Cisco Unity servers will include:

MSMQ

NNTP

IIS

MSXM 3.0 with SP 1

.NET Framework

Which Microsoft components must be in place prior to installing the Cisco Unity software?

- A. Windows 2003 R2 Advanced Server with Service Pack 4

Internet Explorer 6.0

MSDE

Exchange Server 2007

- B. Windows 2003 Server with Service Pack 2

Internet Explorer 6.0

SQL Server 2000

Exchange Server 2003

- C. Windows 2000 with Service Pack 4

Internet Explorer 6.0  
 MSDE  
 Exchange Server 2003  
 D. Windows 2003 Datacenter Server with Service Pack 1  
 Internet Explorer 6.0  
 SQL Server 2000  
 Exchange Server 2000  
 Answer: B

16. Your customer has asked you to install a 24 port Cisco Unity 5.0 voicemail only system with the message store on box. Which three combined software applications does Cisco Unity support in this configuration? (Choose three.)

- A. Exchange Server 2007
- B. SQL Server 2000
- C. Windows Server 2003
- D. MSDE Server 2000
- E. Exchange Server 2000
- F. Exchange Server 2003

Answer: BCF

[\*\*More 642-105 Information\*\*](#)

**Related 642-105 Exams**

- [9L0-007](#) *Macintosh Service Certification Exam*
- [GB0-190](#)*Chinese* *Construction Small-and Medium-Sized Enterprise Network*
- [642-105](#) *Implementing Cisco Unified Messaging*
- [642-164](#) *Unified Communications Contact Center Express.(UCCX)*
- [642-072](#) *Cisco Unity Design and Networking(CUDN)*
- [GB0-520](#) *Building Secure Virtual Private Networks*
- [GB0-190](#) *Construction Small-and Medium-Sized Enterprise Network*
- [642-242](#) *Unified Contact Center Enterprise Implementation(UCCEI)*
- [646-056](#) *Advanced Routing and Switching Life Cycle Services (LCSARS)*
- [646-573](#) *Cisco Lifecycle Services Advanced Security(LCSAS)*
- [GB0-540](#) *Advanced Intrusion Prevention System Configuration*
- [646-222](#) *IP Communications Express Account Manager (IPCXAM)*
- [GB0-500](#) *Implementing Secure Firewalls*
- [646-361](#) *Foundation Express for Account Managers(FOUNDAM)*
- [646-151](#) *Cisco Sales Associate Exam*
- [646-561](#) *Advanced Security for Account Manager(ASAM)*
- [646-589](#) *Cisco Lifecycle Services Advanced Wireless(LCSAWLAN)*
- [642-052](#) *Routing and Switching SE/FE*
- [646-392](#) *Lifecycle Services Exam(LCSE)*
- [646-574](#) *le Services Advanced Security (LCSAS)*

**Other Cisco Exams**

- |                                |                                |                                |                                 |                                |                                |                                |                                |
|--------------------------------|--------------------------------|--------------------------------|---------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| <a href="#"><u>642-821</u></a> | <a href="#"><u>642-062</u></a> | <a href="#"><u>646-227</u></a> | <a href="#"><u>350-018-</u></a> | <a href="#"><u>642-564</u></a> | <a href="#"><u>642-691</u></a> | <a href="#"><u>642-811</u></a> | <a href="#"><u>350-025</u></a> |
|                                |                                |                                | <a href="#"><u>LAB</u></a>      | <a href="#"><u>642-143</u></a> | <a href="#"><u>642-825</u></a> | <a href="#"><u>646-590</u></a> | <a href="#"><u>642-902</u></a> |
| <a href="#"><u>642-274</u></a> | <a href="#"><u>642-091</u></a> | <a href="#"><u>646-056</u></a> | <a href="#"><u>642-502</u></a>  | <a href="#"><u>350-029</u></a> | <a href="#"><u>642-503</u></a> | <a href="#"><u>646-046</u></a> | <a href="#"><u>642-272</u></a> |

