

642-144 IP Communications Cisco IP Telephony Express(IPTX)

Practice Exam: 642-144 Exams

Exam Number/Code: 642-144

Exam Name: IP Telephony Express(IPTX)

Questions and Answers: 75 Q&As

([IP Communications](#))



Exam : [642-144](#)

"IP Telephony Express(IPTX)", also known as 642-144 exam, is a Cisco certification. With the complete collection of questions and answers, TestInside has assembled to take you through 75 Q&As to your 642-144 Exam preparation. In the 642-144 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

Quality and Value for the 642-144 Exam TestInside Practice Exams for Cisco **IP Communications** Certification 642-144 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-144 Exam.

642-144 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IP Communications product experts, included the current newest 642-144 examination questions.

3. 100% Guarantee to Pass Your IP Communications exam and get your IP Communications Certification.

If you do not pass the Cisco Certification 642-144 exam (IP Telephony Express(IPTX)) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 642-144 Q&A ensure you pass the exam at your first try.

TestInside professional provide IP Communications 642-144 the newest Q&A, completely covers 642-144 test original topic. With our complete IP Communications resources, you will minimize your IP Communications cost and be ready to pass your 642-144 tests on Your First Try, 100% Money Back Guarantee included!

[Cisco 642-144](#) Test belongs to one of the IP Communications certified test, if needs to obtain the IP Communications certificate, you also need to participate in other related test, the details you may visit the [IP Communications](#) certified topic, in there, you will see all related IP Communications certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 642-144 exam

642-144 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-144 exam questions updated on regular basis

Same type as the certification exams, 642-144 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-144 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-144

Title : IP Telephony Express Exam

1. Which two installations must be completed to allow third-party software to interact with the Cisco Unified CallManager Express system through TAPI Lite? (Choose two.)

- A. the files in the Cisco IOS TSP file on all Windows PCs on the LAN
- B. both the Cisco IOS TSP and TAPI Lite files on all Windows PCs on the LAN
- C. the Cisco TAPI Lite files on the same Windows PC where the software is installed
- D. the files in the Cisco IOS TSP file on the same Windows PC where the software is installed
- E. the Cisco IOS TSP on the same Windows PC where the software is installed and on all remote teleworker PCs

Answer: CD

2. Which statement best describes echo?

- A. Echo is the discernable leak-through of your own Rx path into your own Tx path.
- B. Echo is the discernable leak-through of the packets of your Rx path into your own Tx path.
- C. Echo is the nonaudible leak-through of the packets of your Rx path into your own Tx path.
- D. Echo is the audible leak-through of the packets from the transmit path into your own receive path.
- E. Echo is the nonaudible leak-through of the packets of your Tx path into your own Rx path.

Answer: D

3. Which protocol is required for an IP Phone to register with Cisco CallManager Express?

- A. TFTP
- B. DHCP
- C. NTP
- D. FTP
- E. AAA

Answer: A

4. Refer to the exhibit. The Hamilton Hair Emporium was having difficulty hearing during conference calls. This configuration adjustment was made, and now the company is experiencing sound distortion. What is the cause?

- A. The gain functionality applies to outbound audio packets. Distortion is created when an external participant causes echo.
- B. The distortion is unrelated to the gain functionality. Rather, it is a result of the company trying to maintain too many conference calls at one time.
- C. This functionality cannot discriminate between a local VoIP source that requires volume gain and a CO-powered PSTN source that does not require volume gain.
- D. This functionality cannot discriminate between a remote VoIP or Foreign Exchange Office source that requires volume gain, and a remote VoIP or IP phone that does not require volume gain.

Answer: D

5. The Abigail Braintree Foundation is a medium-size, not-for-profit literacy group that wants to implement centralized call processing. The group will implement a hub-and-spoke topology, with all of the remote branches utilizing Cisco Unified CallManager Express connected to the central site using Cisco Unified CallManager via an IP WAN. The remote branch will be limited to 150 IP phones so the local gateway can provide SRST feature through Cisco CallManager Express. Each time a remote branch phone places a call, the control traffic traverses the IP WAN (even if the call is local to the branch) to reach the Cisco Unified CallManager at the central site. All the control traffic is

exchanged between a Cisco Unified CallManager at the central site and endpoints or gateways at the remote branches.

Which two signaling protocols can traverse the IP WAN in this deployment model? (Choose two.)

- A. SCCP
- B. SCGP
- C. H.323
- D. H.450.1
- E. H.450.2

Answer: AC

6. Which two Tcl scripts make up the B-ACD? (Choose two.)

- A. Call Queue
- B. Auto Attendant
- C. Basic Queuing
- D. Direct Inward Dial
- E. Automated Queuing
- F. Automated Call Distributor

Answer: AB

7. You wish to verify that the pilot point number has been configured correctly in your CUE module. Using the show ccn trigger command provides the following output:

```
cue-10-0-0# show ccn trigger
```

```
Name: 6800
```

```
Type: SIP
```

```
Application: voicemail
```

```
Locale: en_US
```

```
Idle Timeout: 5000
```

```
Enabled: yes
```

```
Maximum number of sessions: 8
```

```
Name: 6700
```

```
Type: SIP
```

```
Application: autoattendant
```

```
Locale: en_US
```

```
Idle Timeout: 5000
```

```
Enabled: yes
```

```
Maximum number of sessions: 8
```

```
cue-10-0-0#
```

What pieces of information can you derive from this output? (Choose two.)

- A. The voice-mail pilot point number is 6800.
- B. The number of ports available is 16.
- C. The idle timeout is 5 seconds.
- D. The operator can be reached at extension 6800.
- E. The voice-mail application is enabled.

Answer: AE

8. The network administrator at Silver Ball GeneralCom has downloaded the cme-gui-xxx.xx.tar file ("xxx.xx" represents the version number of the file) for Cisco Unified CallManager Express. Which file will be extracted?

- A. xml.template
- B. normal_user.js
- C. music-on-hold.au
- D. ATA030100SCCP040211A.zip

Answer: B

9. Which two characteristics apply to a CAS T1 interface? (Choose two.)

- A. signaling travels in-band
- B. up to 24 voice channels
- C. up to 32 voice channels
- D. signaling travels in time slot 17
- E. uses Q.931 signaling protocol in a common channel

Answer: AB

10. Refer to the exhibit. Where would a Cisco Unity Express Network Module physically reside?

- A. PC at headquarters
- B. PC at the remote office
- C. voice-enabled router at headquarters
- D. Cisco Unified CallManager publisher at headquarters
- E. Cisco Unified CallManager subscriber at headquarters
- F. Cisco Unified CallManager Express router at the remote office

Answer: F

11. Refer to the exhibit. The Greene Supply Company is integrating Cisco Unified CallManager Express into a SIP network. Which two statements are accurate? (Choose two.)

- A. SIP support in dial peers is a Cisco IOS function.
- B. Use the notify-based DTMF relay mechanism that is proprietary to Cisco.
- C. SIP support in Cisco IOS is a function of localized call processing integrated with Cisco Unity Express.
- D. Use either the notify-based DTMF relay mechanism that is proprietary to Cisco or the RFC-based DTMF relay.
- E. The SIP server must be configured for the E.164 numbers that are going to register with the Cisco CallManager Express database.

Answer: AD

12. Which two of the following must be configured to allow users to blind transfer calls to both internal and PSTN numbers using H.450.2 supplementary services? (Choose two.)

- A. transfer-pattern .T
- B. transfer-system full-blind
- C. supplemental service h.450.2
- D. allow-connections h323 to h323

Answer: AB

13. The Clinton Howe Weights and Measures Company wants to send CDRs to a syslog server. Which two options are required? (Choose two.)

- A. The CDR collection must be enabled from the CLI.
- B. The syslog server IP address must be configured using the logging command.
- C. The CDRs must be sent to the syslog server using the gw-accounting syslog command.
- D. The logging file must be initialized using the logging buffered command.

Answer: BC

14. Your IP telephony manager wants you to configure an FXS port on a voice-enabled router with these requirements:

- 1) It supports ground-start signaling.
- 2) Calling name is James Smith.
- 3) Calling number is 408-555-1212.
- 4) Ring frequency is 25hz.
- 5) Ring cadence is for Germany.

Which configuration will meet these requirements?

- A. voice-port 1/0/0
signal ground-start
cptone DE

ring frequency 25
station-id name James Smith
station-id number 4085551212
B. voice-port 1/0/0
description extension 555-1212, name "James Smith"
signal ground-start
ring cadence DE
ring frequency 25
C. voice-port 1/0/0
description extension 555-1212, name "James Smith"
ring cadence Germany
ring frequency 25
station-id name James Smith
station-id number 5551212
D. voice-port 1/0/0
signal ground-start
cadence Germany
frequency 25
station-id name James Smith
station-id number 4085551212
Answer: A

15. Which two are functions of an IP voice gateway? (Choose two.)

- A. provide far-end call control
- B. provide far-end camera control
- C. translate analog voice to packetized voice
- D. transition call path between different networks
- E. provide locations-based call admission control

Answer: CD

[More 642-144 Information](#)

Related 642-144 Exams

[642-415](#) *Unified Communications Architecture and Design*

[642-444](#) *IP Telephony Exam (CIPT)*

[642-432](#) *Cisco Voice Over IP*

[642-162](#) *IP Contact Center Express Implementation Exam*

[644-141](#) *IP Communications CallManager Express Exam (CME)*

[642-143](#) *Communications IP Telephony Express Exam*

[642-144](#) *IP Telephony Express(IPTX)*

[642-104](#) *Unified Communication for System Engineers Exam*

[642-071](#) *Cisco Unity and Design Networking(CUDN)*

[646-229](#) *IP Communications Advanced Account Manager*

[642-414](#) *Communications Telephony Design Exam*

Other Cisco Exams

<u>642-982</u>	<u>642-381</u>	<u>650-251</u>	<u>642-891</u>	<u>642-565</u>	<u>642-342</u>	<u>646-171</u>	<u>642-533</u>
<u>642-522</u>	<u>642-371</u>	<u>642-655</u>	<u>642-521</u>	<u>642-354</u>	<u>642-801</u>	<u>646-590</u>	<u>642-382</u>
<u>646-563</u>	<u>646-222</u>	<u>642-973</u>	<u>642-145</u>				

