

642-426 Others

Cisco Troubleshooting Unified Communications (TUC)


Practice Exam: 642-426 Exams

Exam Number/Code: 642-426

Exam Name: Troubleshooting Unified Communications (TUC)

Questions and Answers: 48 Q&As

([Others](#))



Exam : [642-426](#)

"Troubleshooting Unified Communications (TUC)", also known as 642-426 exam, is a Cisco certification. With the complete collection of questions and answers, TestInside has assembled to take you through 48 Q&As to your 642-426 Exam preparation. In the 642-426 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

Quality and Value for the 642-426 Exam TestInside Practice Exams for Cisco **Others** Certification 642-426 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-426 Exam.

642-426 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Others product experts, included the current newest 642-426 examination questions.

3. 100% Guarantee to Pass Your Others exam and get your Others Certification.

If you do not pass the Cisco Certification 642-426 exam (Troubleshooting Unified Communications (TUC)) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 642-426 Q&A ensure you pass the exam at your first try.

TestInside professional provide Others 642-426 the newest Q&A, completely covers 642-426 test original topic. With our complete Others resources, you will minimize your Others cost and be ready to pass your 642-426 tests on Your First Try, 100% Money Back Guarantee included!

[Cisco 642-426](#) Test belongs to one of the Others certified test, if needs to obtain the Others certificate, you also need to participate in other related test, the details you may visit the [Others](#) certified topic, in there, you will see all related Others certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 642-426 exam

642-426 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-426 exam questions updated on regular basis

Same type as the certification exams, 642-426 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-426 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-426

Title : Troubleshooting Unified Communications (TUC)

1. You have received a trouble ticket stating that an executive with an account at a bank cannot retrieve account information by phone. When the executive calls the bank, the call is answered and the executive is prompted to enter the account code. However, the bank does not seem to recognize the DTMF tones and disconnects the call.

What is a possible solution to this problem?

- A. Configure the voice rtp send-recv command in the gateway.
- B. Set the Cisco Unified CallManager service parameter ToSendH225UserInfoMsg to True.
- C. Configure the progress_ind setup enable 3 command under the gateway VoIP dial peer.
- D. Configure the progress_ind alert enable 8 command under the gateway POTS dial peer.

Answer: A

2. Cisco CallManager 5.0 has just been deployed in two locations across a wide-area link. A distributed model with an intercluster trunk has been used. When you call an IP phone at the remote site the phone rings, but as soon as the other person picks up the phone, the call is dropped.

Where should you look to diagnose the problem?

- A. locations
- B. system parameters
- C. media resource group
- D. Cisco Unified CallManager group
- E. Cisco Unified CallManager CTI traces

Answer: C

3. Which Cisco Unity troubleshooting tool would be used to diagnose problems with skinny and MWI messages?

- A. Cisco Unity Performance Information and Diagnostics
- B. Unity Diagnostic Tool
- C. Integration Monitor
- D. SysCheck

Answer: B

4. Partition A contains four route patterns. The calling search space assigned to Device B contains only Partition A. When Device B dials 1136, which of the route patterns will be selected?

- A. 1[14]XX
- B. 11X
- C. 1[^2-8]XX
- D. 1[1-4]XX

Answer: B

5. A company has migrated to a Cisco Unified CallManager IP Telephony system and is now replacing the existing voice-mail system with a Cisco Unity voice-mail system. A small group of users has been established to test the new voice mail system. The users were able to initialize their mailboxes and record greetings; however, during testing the callers were sometimes unable to leave voice-mail messages for Cisco Unity users.

Which two issues could cause this problem? (Choose two.)

- A. There is a mismatch in the number of ports configured in Cisco Unified CallManager and Cisco Unity.
- B. There is a mismatch in the MWI on/off numbers configured in Cisco Unified CallManager and Cisco Unity.

- C. The call transfer call handlers are not configured correctly.
- D. Cisco Unity is in a G.729 region and has not been configured to support G.729.
- E. The hunt group is hunting to Cisco Unity ports that have been dedicated for message notification.

Answer: AE

6. Which three capabilities cannot be configured if the default dial peer is matched? (Choose three.)

- A. disable DID
- B. invoke a Tcl application
- C. enable dtmf-relay
- D. disable VAD
- E. set codec to G.711
- F. set preference to 1

Answer: BCD

7. Your company has recently installed a Cisco Unified CallManager cluster and a Cisco Unity voice mail platform. You have received complaints from users that the red MWI light never comes on, even when there are new voice-mail messages in the voice mailboxes. Which two steps must be taken to resolve this issue? (Choose two.)

- A. Verify, using the Port Usage tool, that the ports dedicated to MWI on/off are not over-utilized. Add another dedicated port if the current port is over-utilized.
- B. Verify that the MWI on/off numbers are unique within the Cisco Unified CallManager cluster dial plan. If they are not, change the MWI on/off numbers in the Cisco Unified CallManager cluster so they are unique and configure the Cisco Unity server so they match.
- C. Ensure that the number of ports licensed for the Cisco Unity server is greater than or equal to the number of configured ports.
- D. Verify that the calls are being sent to the correct ports on the Cisco Unity server. If they are being sent to the incorrect ones by the Cisco Unified CallManager cluster, correct the values in the cluster.
- E. Verify that the same numbers are being used for MWI on/off in both the Cisco Unified CallManager cluster and Cisco Unity server. If they are different, change the Cisco Unity server to match the Cisco Unified CallManager cluster.

Answer: BE

8. Your company has a centralized IP Telephony system and branch offices in eight major cities. The manager of your company help desk recently published local access numbers for external customers to reduce the costs associated with your company's toll-free 800 service. However, when customers call the new local numbers they hear a reorder tone instead of your centralized IVR.

What is the best solution to this issue?

- A. Deploy transcoders at each remote location.
- B. Deploy transcoders at the central location.
- C. Deploy Cisco Unified IP IVRs at each remote location.
- D. Increase the number of ports in the centralized IVR.

Answer: B

9. You have received a trouble ticket that says users are experiencing echo when their calls go out an H.323 gateway. You have tested the gateway and have modified the configuration so that the ERL level is now 6 dB. You also increased the echo-cancel coverage value to 64 ms.

How will this impact voice quality after this change?

- A. The increase in echo-cancel coverage will have no effect on voice quality.
- B. The ends of sentences will be chopped by the echo canceller.
- C. Consonants will be chopped by the echo canceller.
- D. The echo canceller will take 2-3 seconds longer to converge at the beginning of the call.

Answer: D

10. The following is a partial configuration of an access layer switch:

```
mls qos map cos-dscp 0 8 12 16 28 32 40 48
```

mls qos

!

Voice bearer traffic will be set to use which per-hop behavior?

- A. EF
- B. CS4
- C. AF32
- D. AF12
- E. BE

Answer: B

[More 642-426 Information](#)

Related 642-426 Exams

[642-524](#) *Securing Networks with ASA Foundation*

[642-436](#) *Cisco Voice over IP (CVOICE)*

[642-972](#) *Data Center Application Services Design*

[650-175](#) *SMBAM SMB Specialization for Account Managers*

[646-223](#) *Unified Communications Express AM*

[642-504](#) *Securing Networks with Cisco Routers and Switches*

[642-145](#) *Implementing Cisco IOS Unified Communications Advanced*

[642-456](#) *Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)*

[642-741](#) *Implementing Cisco Unified Wireless Voice Networks*

[640-460](#) *IIUC Implementing Cisco IOS Unified Communications (IIUC)*

[642-426](#) *Troubleshooting Unified Communications (TUC)*

[642-383](#) *Cisco Express Foundation for Field Engineers*

[642-731](#) *Conducting Cisco Unified Wireless Site Survey*

[650-180](#) *SMBEN SMB Solutions for Engineers*

[646-230](#) *Advanced Unified Communications AM*

[646-563](#) *Advanced Security for Account Managers Exam*

[642-373](#) *Cisco Express Foundation for Systems Engineers*

[646-363](#) *Cisco Express Foundation for Account Managers*

[642-975](#) *Cisco Data Center Application Services Implementation*

[646-656](#) *Wide Area Application Services for Account Managers*

Other Cisco Exams

[642-741](#) [642-432](#) [642-446](#) [642-241](#) [642-972](#) [646-230](#) [642-481](#) [646-393](#)

[642-355](#) [642-511](#) [646-171](#) [640-802](#) [642-825](#) [642-591](#) [642-383](#) [646-096](#)

[642-871](#) [646-391](#) [646-011](#) [350-](#)
[001GB2312](#)
[-LAB](#)