

HP0-Y15 Certification I HP

Practice Exam: HP0-Y15 Exams

Exam Number/Code: HP0-Y15

Exam Name:

Questions and Answers: 140 Q&As

([Certification I](#))



Exam : [HP0-Y15](#)

HP0-Y15, also known as HP0-Y15 exam, is a HP certification. With the complete collection of questions and answers, TestInside has assembled to take you through 140 Q&As to your HP0-Y15 Exam preparation. In the HP0-Y15 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

Quality and Value for the HP0-Y15 Exam TestInside Practice Exams for HP **Certification I** Certification HP0-Y15 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the HP0-Y15 Exam.

HP0-Y15 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Certification I product experts, included the current newest HP0-Y15 examination questions.

3. 100% Guarantee to Pass Your Certification I exam and get your Certification I Certification.

If you do not pass the HP Certification HP0-Y15 exam () on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside HP0-Y15 Q&A ensure you pass the exam at your first try.

TestInside professional provide Certification I HP0-Y15 the newest Q&A, completely covers HP0-Y15 test original topic. With our complete Certification I resources, you will minimize your Certification I cost and be ready to pass your HP0-Y15 tests on Your First Try, 100% Money Back Guarantee included!

[HP HP0-Y15](#) Test belongs to one of the Certification I certified test, if needs to obtain the Certification I certificate, you also need to participate in other related test, the details you may visit the [Certification I](#) certified topic, in there, you will see all related Certification I certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about HP0-Y15 exam

HP0-Y15 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

HP0-Y15 exam questions updated on regular basis

Same type as the certification exams, HP0-Y15 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free HP0-Y15 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : HP HP0-Y15

Title : ProCurve Network Access Control

1. You have just downloaded a system upgrade for the ProCurve NAC 800 using a Web browser on a management station. The system upgrade has been stored on a USB drive and the USB drive has been connected to the ProCurve NAC 800 USB port. What must be done to install the system upgrade from the local USB drive? (Select three.)

- A. The install script must be executed.
- B. The ProCurve Services Partition must be activated.
- C. The access mode must be temporarily set to allow all.
- D. The USB drive must be accessed using the cd command.
- E. The compressed file must be unpacked using the tar command.
- F. A console or SSH session must be established using the root user account.

Answer: DEF

2. Network security can be described in terms of multiple layers of security. Which action is an example of a perimeter security measure?

- A. ACLs applied at the core
- B. limiting switch access to RADIUS users
- C. using a secure OS for network application servers
- D. installing a firewall

Answer: D

3. Network security can be described in terms of multiple layers of security. Which security layer does an unauthorized VLAN correspond to?

- A. infrastructure defense
- B. network access control
- C. control protocol detection
- D. network immunity protection
- E. device-to-device authentication

Answer: B

4. A network is configured to support a ProCurve NAC 800 operating with the DHCP quarantine method. The NAC 800 is located between a ProCurve 3500yl switch and a DHCP server. How is DHCP traffic processed when an endpoint, that is currently unknown to the NAC 800, sends a DHCP request for an IP address?

- A. The switch requests the endpoint's integrity state from the NAC 800 before forwarding to the DHCP server.
- B. If the NAC 800 receives a DHCP request addressed to the DHCP server, the request is blocked by the NAC 800.
- C. The DHCP server checks the endpoint's integrity state passed to it by the NAC 800 before responding with an IP address.
- D. The DHCP server responds with a quarantine IP address initially and waits for the NAC 800 to indicate the endpoint has passed integrity testing.

Answer: B

5. What is an important factor to consider when deploying the ProCurve NAC 800 using the DHCP quarantine method?

- A. The IP address lease duration must be set to five minutes or less on the DHCP server.
- B. The DHCP server requires one additional, non-overlapping scope for every existing DHCP scope.

- C. A switch must support traffic mirroring for each DHCP server protected by the NAC 800.
- D. Endpoint Integrity cannot be enforced for devices using static IP addresses.
- E. The DNS server scope option on the DHCP server must be set to the IP address of the NAC 800.

Answer: D

6. Which infrastructure defense capabilities are provided by the ProCurve ProActive Defense network security solution? (Select two.)

- A. phishing protection
- B. connection rate filtering
- C. managed security services
- D. vulnerability assessment database
- E. spoofing protection of DHCP traffic

Answer: BE

7. Which statement is true about the Accessible Services List?

- A. It identifies Internet destinations that endpoints can access after passing Endpoint Integrity testing.
- B. You can configure an IP address and port number of a service that can be accessed by a quarantined endpoint.
- C. The default entries identify services in the enterprise network that can be accessed regardless of Endpoint Integrity state.
- D. It identifies external RADIUS servers the NAC 800 can provide proxy access to when the local RADIUS option is enabled.

Answer: B

8. Which deployment factor needs to be considered when using the ProCurve NAC 800 inline quarantine method?

- A. The NAC 800's internal DHCP server may not provide optimal performance for a very large population of endpoints.
- B. It requires administrator expertise to tailor the internal firewall rules to manage each distinct network environment.
- C. Any entry added to the Accessible Services List must be specified using an IP address instead of a DNS name.
- D. Only 802.1X authentication using an external RADIUS server is supported for endpoints that have passed integrity testing.

Answer: C

9. A network is configured to support a ProCurve NAC 800 operating with the DHCP quarantine method. How does an endpoint transition from a quarantine IP address to a non-quarantine IP address after passing integrity testing?

- A. The NAC 800 triggers the switch to re-authenticate the endpoint causing a new DHCP request to be issued.
- B. The NAC 800 sends a DHCP release to the endpoint followed by a DHCP assignment message with the IP address.
- C. The switch stops forwarding DHCP requests from the endpoint to the NAC 800 and instead sends them to the DHCP server.
- D. Any subsequent DHCP request from the endpoint is allowed by the NAC 800 to pass to the DHCP server.

Answer: D

10. Which statements are true about licensing operation on the ProCurve NAC 800? (Select three.)

- A. Endpoints defined as exceptions use a license entry.
- B. License usage is tracked based on unique endpoint MAC addresses.
- C. A Management Server without a license key can support only one Enforcement Server.
- D. A Combination Server without a license key can support only one endpoint for integrity testing and management.
- E. After a device disconnects from the network, the license entry is locked until the lease time for the IP address expires.

Answer: BCD

11. Which statements are true about ProCurve NAC 800 hardware features? (Select two.)

- A. Only Ethernet port 1 responds to ping requests.
- B. Ethernet port 2 is used to access the Web management interface.

- C. The LCD menu and control buttons can be used to initiate a factory image recovery.
- D. Up to two Ethernet 10/100/1000 Mbps ports are supported depending on the quarantine method.
- E. The console port cable supported for out-of-band management access has an RJ-45 connector.

Answer: DE

12. A ProCurve 5406zl switch is connected to port 1 of a ProCurve NAC 800 and a DHCP server is connected to port 2 of the NAC 800. You are planning to deploy the ProCurve NAC 800 with the DHCP quarantine method using a shared subnet approach. Which configuration requirement must be satisfied?

- A. The quarantine and non-quarantine subnets defined on the NAC 800 must be the same.
- B. The switch requires that separate VLANs be defined for the quarantine and non-quarantine subnets.
- C. Each switch VLAN supporting the endpoints must use a single IP helper set to the IP address of the NAC 800.
- D. The scope on the DHCP server and the quarantine subnet on the NAC 800 must use non-overlapping IP addresses.

Answer: D

13. You are configuring a ProCurve NAC 800 to operate using the DHCP quarantine method. Which parameters are specified when adding a quarantine area? (Select three.)

- A. IP address of the DHCP server
- B. IP address of a RADIUS server
- C. IP address of a default gateway
- D. range of quarantine IP addresses
- E. lease duration time for IP addresses
- F. non-quarantine subnet using CIDR notation
- G. IP address of a DNS server for quarantine subnet
- H. static route for endpoints to use when quarantined

Answer: CDF

14. Which statement is true about the ProCurve ProActive Defense strategy?

- A. It achieves better-performing, more scalable networks by using high capacity core resources.
- B. It operates at a safe distance from the points of attack and the network resources being attacked.
- C. It makes access and policy enforcement decisions where users and applications connect to the network.
- D. It creates a cost-effective management framework by using core infrastructure protection measures.

Answer: C

15. You have just completed the initial setup process of the ProCurve NAC 800 using the Web management interface. Which statements are true about the current configuration settings? (Select three.)

- A. The access mode is normal.
- B. All testing methods are disabled.
- C. The root user account is disabled.
- D. One policy group named Default is defined.
- E. An hourly schedule for test updates is active.
- F. All Ethernet ports are blocked except for Web management access.

Answer: ADE

16. Which configuration task is applicable to the ProCurve NAC 800 inline quarantine method?

- A. Enable the internal firewall.
- B. Specify one or more quarantine subnets.
- C. Add IP address entries to the Accessible Services List.
- D. Select the port to be used for connection to the external network.
- E. Identify the static and DHCP IP address ranges of endpoints to monitor.

Answer: C

17. In a network that includes an Endpoint Integrity solution, which component does a ProCurve Switch 5400zl series correspond to in the Trusted Network Connect architecture?

- A. Network Access Requester
- B. Network Access Authority
- C. Policy Enforcement Point
- D. Policy Decision Point

Answer: C

18. A ProCurve 3500yl switch is connected to port 1 of a ProCurve NAC 800 and a DHCP server is connected to port 2. The DHCP server IP address is 10.1.10.10/24. The NAC 800 IP address is 10.1.10.20/24. The IP address 10.1.24.1/24 is assigned to VLAN 24 on the switch.

Which additional configuration settings would be appropriate for supporting a 10.1.24.0/24 non-quarantine subnet and a 10.1.25.0/24 quarantine subnet? (Select two.)

- A. on the switch, a multinetted IP address of 10.1.25.1/24 assigned to VLAN 24
- B. on the NAC 800, the IP address of the DHCP server specified as 10.1.10.10/24
- C. on the NAC 800, IP addresses 10.1.24.51 through 10.1.24.100 defined as exceptions
- D. on the switch, the IP helper addresses 10.1.10.10 and 10.1.10.20 defined for VLAN 24
- E. on the DHCP server, one scope for 10.1.24.0/24 and a second scope for 10.1.25.0/24

Answer: AD

19. Which statement is true about the ProCurve NAC 800 inline quarantine method? (Select two.)

- A. Port 2 is usually connected to a gateway device such as a ProCurve Secure Router 7000dl.
- B. The NAC 800 provides optional user authentication for endpoints that have passed integrity testing.
- C. This method uses a quarantine subnet to limit network access by quarantined or unknown endpoints.
- D. The Accessible Services List is not supported by this method when quarantined devices are located in an external network.
- E. The NAC 800 functions like a Layer 2 bridge except that it also has a firewall that controls traffic flowing between its two ports.

Answer: AE

20. Which statements are true about the DHCP quarantine method? (Select two.)

- A. The DNS server for a quarantine subnet is assigned by the enterprise DHCP server.
- B. A quarantine subnet consists of a set of IP addresses dynamically assigned to endpoints.
- C. Endpoint Integrity can be managed for endpoints with static IP addresses by defining exceptions.
- D. A non-quarantine IP address is assigned by the NAC 800 after an endpoint passes integrity testing.
- E. Port 2 of the NAC 800 can be connected to a switch that provides a path to multiple DHCP servers.

Answer: BE

[More HP0-Y15 Information](#)

Related HP0-Y15 Exams

[HP0-M15](#) *HP Quality Center 9.2 Software*

[HP0-S18](#) *Implementing HP ProLiant ML/DL Servers*

[HP0-M16](#) *HP Quick Test Professional 9.2 Software*

[HP0-A01](#) *HP-UX 11i v3 System Administration*

[HP0-M18](#) *HP LoadRunner Software*

[HP0-M19](#) *HP Virtual User Generator Software*

[HP0-S19](#) *Integrating and Managing HP ProLiant ML/DL in the Enterprise*

[HP0-Y20](#) *ProCurve Adaptive EDGE Fundamentals*

[HP0-Y19](#) *ProCurve Accelerated ASE Mobility*

[HP0-J24](#) *Designing and Implementing HP Enterprise Backup Solutions*

[HP0-J15](#) *HP StorageWorks MASE 2088 Delta Exam*

HP0-X02 *Designing &Implementing HP Enterprise Backup Solutions*

HP0-063 *LF PROFESSIONAL COLOR WORKFLOW MANAGEMENT*

HP0-J22 *Designing HP StorageWorks Solutions*

HP0-S17 *Integrating and Managing HP BladeSystem in the Enterprise*

HP0-M22 *mplementing HP Service Manager Software*

HP0-Y21 *ProCurve Core Competencies*

HP0-Y11 *ProCurve Security 7.31*

HP0-P10 *HP Integrity Server Multi-OS Installation &Deployment*

HP0-P17 *HP-UX 11i v3 Security Administration*

Other HP Exams

HP0-648

HP2-K10

HP0-M28

HP0-324

HP0-093

HP0-685

HP0-841

HP0-821

HP0-427

HP0-J12

HP0-787

HP0-D06

HP0-P13

HP0-780

HP0-M86

HP0-M14

HP0-207

HP0-068

HP1-P44

HP0-345