

## **NS0-910 NAC-NIE**

### **Network Appliance tCache Internet Access and Security**


**Practice Exam:** NS0-910 Exams

**Exam Number/Code:** NS0-910

**Exam Name:** tCache Internet Access and Security

**Questions and Answers:** 100 Q&As

( [NAC-NIE](#) )



Exam : [NS0-910](#)

"tCache Internet Access and Security", also known as NS0-910 exam, is a Network Appliance certification. With the complete collection of questions and answers, TestInside has assembled to take you through 100 Q&As to your NS0-910 Exam preparation. In the NS0-910 exam resources, you will cover every field and category in Network Appliance Certification helping to ready you for your successful Network Appliance Certification.

Quality and Value for the NS0-910 Exam TestInside Practice Exams for Network Appliance **NAC-NIE** Certification NS0-910 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### ***TestInside provide the professional Q&A.***

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the NS0-910 Exam.

NS0-910 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the NAC-NIE product experts, included the current newest NS0-910 examination questions.

3. 100% Guarantee to Pass Your NAC-NIE exam and get your NAC-NIE Certification.

If you do not pass the Network Appliance Certification NS0-910 exam (tCache Internet Access and Security) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### ***use TestInside NS0-910 Q&A ensure you pass the exam at your first try.***

TestInside professional provide NAC-NIE NS0-910 the newest Q&A, completely covers NS0-910 test original topic. With our complete NAC-NIE resources, you will minimize your NAC-NIE cost and be ready to pass your NS0-910 tests on Your First Try, 100% Money Back Guarantee included!

[Network Appliance NS0-910](#) Test belongs to one of the NAC-NIE certified test, if needs to obtain the NAC-NIE certificate, you also need to participate in other related test, the details you may visit the [NAC-NIE](#) certified topic, in there, you will see all related NAC-NIE certified subject of examination.

#### ***TestInside Testing Engine Features***

Comprehensive questions and answers about NS0-910 exam

NS0-910 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

NS0-910 exam questions updated on regular basis

Same type as the certification exams, NS0-910 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free NS0-910 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Network Appliance NS0-910

Title : Network Appliance NetCache Internet Access and Security Exam

1. Which FOUR steps are necessary to test that authentication is working properly with NTLM? (Choose 4)

- A. configure NTLM authentication
- B. add the appropriate ACLs to use authentication
- C. visit a Web site through the NetCache proxy
- D. inspect the Web Access log files for authentication activity
- E. enable packet tracing with pktt and analyze the results

Answer: ABCD

2. Which FOUR will best prevent client disruption caused by hardware failure when using multiple proxies? (Choose 4)

- A. load balancer
- B. round-robin DNS
- C. direct browser configuration
- D. transparency utilizing WCCP
- E. autoconfiguration using a proxy.pac file

Answer: ABDE

3. Which FOUR are licensed protocols? (Choose 4)

- A. DNS caching
- B. ICAP
- C. HTTPS Proxy
- D. HTTP Proxy
- E. GRM Server

Answer: BCDE

4. Which FOUR are key steps in the authentication process? (Choose 4)

- A. verify protocol authentication settings (authenticates the user)
- B. verify ACL permission settings for the applicable group in the NetCache user database
- C. verify whether SmartFilter or WebWasher DynaBLocator denies the request
- D. verify connectivity to logging server
- E. allow or deny the request, based on the results of the authentication process

Answer: ABCE

5. Given the following entry from the Web Access log, what is the first column?

1098830250.899 0.001 10.41.72.45 TCP\_HIT\_ACCESS\_DENIED/407 496 GET http://www.cnn.com/bob - ""

- A. the size in bits
- B. the time stamp in Greenwich standard time
- C. the ID of the request
- D. the time stamp in UNIX epoch time

Answer: D

6. What is the difference between TCP\_MISS/200 and TCP\_HIT/200?

- A. The "miss" means that the requested object could not be found and an error is returned to the client. The "hit" means that TCP is used.

- B. The "miss" means...that the NetCache will use UDP instead. A "hit" means that TCP is used.
- C. he "miss" means...retrieved by the NetCache appliance. The "hit" means that the NetCache appliance already.
- D. The "miss" means that the object was in the cache but not available because either its TTL expired or the entry was flagged by a third party content filter such as a virus scanner. The "hit" means that the TTL was still current.
- Answer: C

7. Which ICAP vectoring method does the anti-virus scanning use?

- A. RESPMOD\_PRECACHE
- B. REQMOD\_PRECACHE
- C. RESPMOD\_POSTCACHE
- D. REQMOD\_POSTCACHE

Answer: A

8. What is the command to view the names and locations of the log files from the command line?

- A. log -l
- B. nclog -l
- C. nclog -va
- D. show config.admin.log

Answer: B

9. Where is authentication server information logged?

- A. Web Access log
- B. Messages log
- C. FTP log
- D. client browser
- E. SMB Instant Messaging

Answer: B

10. Which FOUR cache control headers below are valid? (Choose 4)

- A. Cache-Control: no-cache
- B. Pragma: do-not-cache
- C. Cache-Control: no-store
- D. Cache-Control: private
- E. Pragma: no-cache

Answer: ACDE

11. Which TWO of the following server types can function as a logging target for NetCache? (Choose 2)

- A. FTP
- B. CIFS
- C. HTTP
- D. NFS

Answer: AC

12. A router performs which one of the following functions for NetCache proxies?

- A. It fragments large packets into smaller chunks that the NetCache appliance can handle.
- B. It tags Etherchannel packets for pre-processing.
- C. It delivers inbound packets from other networks and sends outbound packets destined for other networks.
- D. It strips virus packets out before they can infect the NetCache appliance.

Answer: C

13. Given the following log entry from the Web Access log, with the default access log format, what does DIRECT mean?

1093891725.752 0.080 10.32.10.92 TCP\_MISS/200 10177 GET http://www.sbgs.org/sbgs.htm -

DIRECT/209.68.147.66 "text/html"

- A. The object must be retrieved from a parent cache.
- B. The requested URL resides outside the firewall, and the URL maps to no parents or neighbors.
- C. The URL was fetched from the source.
- D. This NetCache has no valid parents or neighbors.

Answer: C

14. Given the following service farm configuration, which request will be directed to the ICAP application?

config.icapv1.farm3.attr = \marketing\_req\_precache REQMOD\_PRECACHE on rr on weak

- A. Requests about to be initiated by NetCache to the server
- B. Requests from the client before NetCache has initiated a request to the server
- C. Requests from the client after NetCache has initiated a request to the server
- D. Responses to requests initiated by NetCache after being cached on disk
- E. Responses to requests initiated by NetCache before being cached on disk

Answer: B

15. Which TWO of the following can be performed by using a proxy.pac file? (Choose 2)

- A. provide for failover protection
- B. check web pages for worms or viruses
- C. distribute requests to different NetCache proxy servers
- D. shut down the computer if the user doesn't authenticate promptly

Answer: AC

16. The NetCache appliance supports up to \_\_\_\_\_ SNMP communities.

- A. 4
- B. 8
- C. 16
- D. 32

Answer: B

17. Of the following choices, which TWO are paths to configure logging? (Choose 2)

- A. Setup > System > Logging
- B. Setup > Maintenance > Logging
- C. Setup > HTTP > Logging
- D. Setup > Utilities > Logging

Answer: AC

18. Which protocol entries are recorded in the Web access log file?

- A. HTTP, FTP, RTSP
- B. HTTP, FTP, Gopher
- C. RTSP, NNTP
- D. Telnet, SNMP, SSH

Answer: B

19. Given the following entry from the Web Access log, with the default access log format, what does the entry "bob" signify?

1098830250.899 0.001 10.41.72.45 TCP\_HIT\_ACCESS\_DENIED/407 496 GET http://www.cnn.com/bob - ""

- A. the user making the request
- B. the hostname of the appliance
- C. the page on the CNN site
- D. the client hostname making the request

Answer: A

20. What is the advantage of using multiple authentication servers with a NetCache appliance?

- A. NetCache will deny requests if authentication isn't provided within 200ms.
- B. They ensure authenticated access if authentication server fails.
- C. They ensure authenticated access across multiple domains.
- D. Authentication uses encryption and is CPU-intensive.

Answer: B

[More NS0-910 Information](#)

**Related NS0-910 Exams**

[NS0-501](#) *Network Appliance Implementation Engineer-SAN*

[NS0-920](#) *NetCache Deployment Options & Streaming*

[NS0-910](#) *tCache Internet Access and Security*

**Other Network Appliance Exams**

[NS0-301](#)    [NS0-151](#)    [NS0-163](#)    [NS0-210](#)    [NS0-101](#)    [NS0-530](#)    [NS0-120](#)    [NS0-201](#)

[NS0-330](#)    [NS0-320](#)    [NS0-131](#)    [NS0-310](#)    [NS0-501](#)    [NS0-130](#)    [NS0-170](#)    [NS0-102](#)

[NS0-920](#)    [NS0-153](#)    [NS0-510](#)    [NS0-121](#)