

NS0-920 NAC-NIE

Network Appliance NetCache Deployment Options & Streaming


Practice Exam: NS0-920 Exams

Exam Number/Code: NS0-920

Exam Name: NetCache Deployment Options & Streaming

Questions and Answers: 60 Q&As

([NAC-NIE](#))



Exam : [NS0-920](#)

"NetCache Deployment Options & Streaming", also known as NS0-920 exam, is a Network Appliance certification. With the complete collection of questions and answers, TestInside has assembled to take you through 60 Q&As to your NS0-920 Exam preparation. In the NS0-920 exam resources, you will cover every field and category in Network Appliance Certification helping to ready you for your successful Network Appliance Certification.

Quality and Value for the NS0-920 Exam TestInside Practice Exams for Network Appliance **NAC-NIE** Certification NS0-920 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the NS0-920 Exam.

NS0-920 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the NAC-NIE product experts, included the current newest NS0-920 examination questions.

3. 100% Guarantee to Pass Your NAC-NIE exam and get your NAC-NIE Certification.

If you do not pass the Network Appliance Certification NS0-920 exam (NetCache Deployment Options & Streaming) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside NS0-920 Q&A ensure you pass the exam at your first try.

TestInside professional provide NAC-NIE NS0-920 the newest Q&A, completely covers NS0-920 test original topic. With our complete NAC-NIE resources, you will minimize your NAC-NIE cost and be ready to pass your NS0-920 tests on Your First Try, 100% Money Back Guarantee included!

[Network Appliance NS0-920](#) Test belongs to one of the NAC-NIE certified test, if needs to obtain the NAC-NIE certificate, you also need to participate in other related test, the details you may visit the [NAC-NIE](#) certified topic, in there, you will see all related NAC-NIE certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about NS0-920 exam

NS0-920 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

NS0-920 exam questions updated on regular basis

Same type as the certification exams, NS0-920 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free NS0-920 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Network Appliance NS0-920

Title : Network Appliance NetCache Deployment Options and Streaming

1. What happens if you assign a service group ID of 4 on one NetCache appliance, and you assign a service group ID of 2 on another NetCache appliance?

- A. The two groups will load balance between each other.
- B. The WCCP router will automatically group the two together.
- C. Each NetCache appliance will join a different service group.
- D. The NetCache appliances use only the ID assignment for internal information, so there is no effect.

Answer: C

2. A list of HTTP headers returned to a client for a cache hit on a stream may be viewed using the _____.

- A. smstats command
- B. sysstat command
- C. Streaming Details log
- D. object command

Answer: D

3. Request forwarding is useful for doing which of the following?

- A. To process URLs that are not cacheable, or for sites that use IP authentication.
- B. To force all traffic through the NetCache appliance.
- C. To create a load balancing scheme.
- D. To allow the NetCache to send the URL request as if it is coming from the cache and not the client.

Answer: A

4. Which can be determined about an .ASF object by using the object command?

- A. The playing time of the stream.
- B. The amount of disk space used to store it on the cache.
- C. The number of packets in the stream.
- D. The author of the stream.

Answer: C

5. How will the following configuration command affect the factory default configuration?

set config.http.transparency on

- A. NetCache starts listening promiscuously on port 80.
- B. NetCache stops listening on port 3128 and restarts listening promiscuously on port 3128.
- C. An error message is reported; no configuration change occurs.
- D. An error message is reported; NetCache starts listening promiscuously on all TCP ports.

Answer: B

6. Which three are true about WCCP? (Choose 3)

- A. WCCP service groups must support a single protocol.
- B. WCCP service groups can consist of one or more routers or proxy-cache servers.
- C. WCCP service groups must be defined with the same settings.
- D. Traffic redirection and distribution are based on logical WCCP service groups.

Answer: BCD

7. What version(s) of SSH does NetCache support?

- A. Versions 1 and 2
- B. Version 2 only
- C. Versions 2 and 3
- D. Version 3 only
- E. None

Answer: A

8. What is the purpose of the "Here I Am" message?

- A. It identifies the NetCache appliance as the router.
- B. It identifies the service group membership.
- C. It announces that the NetCache appliance is available after a shutdown.
- D. It identifies that the NetCache appliance has received a request.

Answer: B

9. Which statement about a Layer 4 switch is true? (Choose 3)

- A. It can be configured to pass non-HTTP traffic directly to the Web.
- B. It passes traffic based on the port number in a TCP/IP packet.
- C. It passes traffic based on the URL of the client's request.
- D. It uses MAC address rewriting to redirect packets.

Answer: ABD

10. Which set of acceleration rules will best allow for acceleration of a Windows Media Server that uses MMS and HTTP for transport protocols?

NetCache IP: 10.1.2.3 netcache.server.com

Streaming Server IP: 10.1.2.5 m.server.com

A. streaming.acceleration.rules=\n10.1.2.3 1755 * * 10.1.2.5 1755 m.server.com *\n10.1.2.3 80 * * 10.1.2.5 80 m.server

\nB. config.streaming.acceleration.rules=\n10.1.2.3 1755 * * 10.1.2.5 1755 m.server.com *\n

\nconfig.http.acceleration.rules=\n10.1.2.3 80 * * 10.1.2.5 80 m.server.com *\n

\nC. config.acceleration.rules=\nmms 10.1.2.3 10.1.2.5 netcache.server.com m.server.com\nhttp 10.1.2.3 10.1.2.5 netcache.server.com m.server.com\n

\nD. config.streaming.acceleration.rules=\n10.1.2.3 554 * * 10.1.2.5 554 m.server.com *\n10.1.2.3 80 * * 10.1.2.5 80 m.server.com *\n

\n

Answer: A

11. Why must a Layer 4 switch be on the same subnet as the NetCache appliance?

- A. To use IP-GRE encapsulation.
- B. To prevent IP spoofing.
- C. To use MAC address rewriting.
- D. To monitor the health of the NetCache appliance.

Answer: C

12. Bandwidth allocation rules can be used to optimize streaming performance in which three ways? (Choose 3)

- A. They can allocate bandwidth by user and group.
- B. They can manage NetCache bandwidth utilization to ensure bandwidth for other uses.
- C. They can allocate bandwidth based on CPU and memory usage.
- D. They can restrict or deny connections.

Answer: ABD

13. When you have a Digital Rights Management (DRM) streaming, authentication is performed between which two devices?

- A. HTTP server and client player
- B. streaming media server and client player
- C. authentication server and router
- D. domain controller and streaming media server

Answer: B

14. When traffic is tunneled, the NetCache appliance can take which two actions? (Choose 2)

- A. It can be used with manually configured browsers.
- B. It passes specified types of nonstandard traffic through without caching it.
- C. It examines the source and destination information, and caches the resulting objects.
- D. It receives requests and allows or denies based on ACLs.

Answer: BD

15. When is information recorded into the Streaming Access log?

- A. When the client streaming connection is opened.
- B. Within 500 ms of connect.
- C. Throughout the streaming session.
- D. When the client streaming connection is closed.

Answer: D

[More NS0-920 Information](#)

Related NS0-920 Exams

[NS0-501](#) *Network Appliance Implementation Engineer-SAN*

[NS0-920](#) *NetCache Deployment Options & Streaming*

[NS0-910](#) *tCache Internet Access and Security*

Other Network Appliance Exams

[NS0-510](#) [NS0-201](#) [NS0-530](#) [NS0-170](#) [NS0-131](#) [NS0-320](#) [NS0-310](#) [NS0-153](#)

[NS0-210](#) [NS0-151](#) [NS0-910](#) [NS0-101](#) [NS0-501](#) [NS0-330](#) [NS0-920](#) [NS0-301](#)

[NS0-120](#) [NS0-102](#) [NS0-163](#) [NS0-141](#)